

Chapter 7

Bridging the Gap – Carbon dioxide removal

Lead authors: Pete Smith (University of Aberdeen), Julio Friedmann (Carbon Wrangler, LLC)


Contributing authors: Sabine Fuss (Mercator Research Institute on Global Commons and Climate Change), Noah Deich (Center for Carbon Removal), Giana Amador (Center for Carbon Removal), Jan Minx (Mercator Research Institute on Global Commons and Climate Change), Mark G. Lawrence (Institute for Advanced Sustainability Studies, Potsdam), Mercedes Bustamante (Departamento de Ecología, Universidade de Brasília), Omar Masera (Institute for Ecosystem Research and Sustainability, Universidad Nacional Autónoma de México), Annette Cowie (New South Wales Department of Primary Industries/University of New England), Oliver Geden (German Institute for International and Security Affairs)

7.1 Introduction

Carbon dioxide removal (sometimes called carbon removal or CDR) refers to a cluster of technologies, practices and approaches that remove and sequester carbon dioxide

from the atmosphere. Despite the common denominator of removing carbon dioxide, these technologies can be very different. To put it simply, one can distinguish between biological and engineered options. For some of the

Figure 7.1: Major strategies for negative emission technologies.



Note: This figure includes the major strategies that have been discussed in the literature so far (Minx *et al.*, 2017).

former (such as afforestation, reforestation or soil carbon management), experience has been accumulated over decades. Conversely, experience is limited with regard to the latter (notably direct air capture, or bioenergy combined with carbon dioxide capture and storage). Some approaches would be more difficult to implement than others, for example, using the ocean as a common-pool resource, which would require coordination on an international scale. The leading technologies and approaches considered here are shown in figure 7.1.

Importantly, carbon dioxide removal is not the same as solar radiation management (Royal Society, 2009). This distinction is critical and was emphasized by the United States National Academy of Sciences, which has reviewed approaches to solar radiation management (USNAS, 2015a) and to carbon dioxide removal (USNAS, 2015b). While solar radiation management may prove important for mitigating climate change in the future (Keith *et al.*, 2017), it is not the subject of this chapter. Instead, this chapter focuses on reducing carbon dioxide concentrations in the atmosphere through active management.

Carbon dioxide removal options have become a common feature in climate change mitigation scenarios that are consistent with the goals of the Paris Agreement (Clarke *et al.*, 2014; van Vuuren *et al.*, 2013; Fuss *et al.*, 2014). Given that carbon budgets are tight and rapidly being depleted (Rogelj *et al.*, 2016; IPCC, 2014), carbon dioxide removal


options are more widely used to compensate for temporary budget overshoot.

Carbon dioxide removal and the deployment of negative emissions approaches must be employed *in addition* to other mitigation options (such as those discussed in Chapter 4). Stated differently, carbon dioxide removal is concerned with the management of overshoot, even in the event that all mitigation options are pursued. For example, limiting deforestation and improving forest management are key undertakings to reduce current emissions and avoid future emissions. However, necessary as they are, these practices are quite different to afforestation, which is the practice of adding forests to areas where there are none today.

In many scenarios, *net* negative emissions occur in the second half of the 21st Century. However, negative emissions are introduced much earlier, and to a greater extent, in those scenarios. This is done to compensate for residual emissions that are too difficult or too expensive to reduce at the level of climate policy ambition that the scenario seeks to characterize. Taken together, both climate dioxide removal options represent the total or gross negative emissions required in a particular scenario (figure 7.2).

From a wider portfolio of mitigation options, integrated assessment models select negative emissions technologies based on cost-minimization considerations¹. Naturally, the deployment of negative emissions technologies varies

Figure 7.2: The role of carbon dioxide removal in climate change mitigation.



Note: This figure shows emission reductions from conventional mitigation technologies combined with carbon dioxide removal. This exemplary scenario is consistent with an at least 66 percent chance of keeping warming below 2°C relative to pre-industrial levels. Emission reductions are shown against a business-as-usual scenario without any additional climate policies. Global net emissions levels turn to net negative towards the very end of the century, but carbon dioxide removal is already being deployed much earlier. Some residual greenhouse gas emissions remain at the end of the century, as they are too difficult to mitigate in the scenario. Note that the scenario used is different from the scenarios used in Chapter 3, which leads to small variations in emission levels and timing of negative emissions. Source: Jérôme Hilaire (Mercator Research Institute on Global Commons and Climate).

1 Specifically, integrated assessment models determine the least-cost pathway for the global economy to meet a given climate target (before additional benefits are accounted for). They do so on the basis of assumptions about technology costs and availability, alongside other macroeconomic factors (for example, demand for energy and food).

greatly from one scenario to the next, due to differences in scenario design and the specifications of the particular model. Nevertheless, some robust patterns emerge across clusters of scenarios:

- Scenarios consistent with the 1.5°C target depend on the large-scale availability of negative emissions technologies. There are no scenarios available that can keep warming below 1.5°C by 2100 without removing carbon from the atmosphere via negative emissions technologies (Fuss, 2017; Minx *et al.*, 2017).
- In general, the deployment of negative emissions technologies in the second half of the century occurs on a large scale, and with a very rapid scale-up to 8 GtCO₂ per year by 2050 (range 5–15). By 2100 the median (2010–2100) removal of carbon dioxide via negative emissions technologies is 810 GtCO₂ (range 440–1,020). This corresponds to about 20 years of global emissions at current emission rates.
 - In the 2°C scenarios with immediate climate action, the median (2010–2100) deployment of negative emissions technologies is considerably lower: 670 GtCO₂ (range 320–840). In addition, the scale-up towards mid-century is much slower.
- Delay in adequate near-term climate action swiftly locks 2°C pathways deeply into negative emissions. To limit warming to 2°C, current Nationally Determined Contributions lead to pathways that are fundamentally dependent on the large-scale availability of negative emissions technologies (like 1.5°C pathways today, and with similar deployment rates and technology upscaling requirements).
- Compared to emissions pathways that are less efficient in energy use, 1.5°C and 2°C emissions pathways that feature aggressive energy savings are less dependent on negative emissions technologies.

It is worth noting that a few scenarios can meet the 2°C target without the deployment of negative emissions technologies. If the models select these technologies, it is because they represent a cheaper mitigation option overall. This means that even in scenarios that are consistent with the 2°C target, there is scope to considerably limit the deployment of negative emissions technologies, compared to what we see in economic optimization scenarios.

7.2. Land-based carbon dioxide removal options

Land-based carbon dioxide removal involves technologies, practices and approaches that harness the carbon removal potential of land-based ecosystems, including forests, wetlands, agricultural land and soils. As these systems have been managed by humans for many years, there is a wealth of knowledge that can be readily applied today with confidence. In addition, these approaches present opportunities to meet other global sustainability goals, such as improved water quality, ecosystem restoration, biodiversity preservation, food and nutrition security, job creation and improved crop yields.

For these land-based options to contribute to carbon removal at the scale of gigatonnes, new management approaches that impact large land areas and ecosystems will be required in some cases. In others, traditional, sustainable practices such as agroforestry may need to be applied².

Many substantial uncertainties exist regarding effective carbon dioxide removal rates, the volumes stored, the duration of effective sequestration under a changing climate and the implications for ecosystem services provided by the land in question. In this regard, carbon dioxide removal in these systems may prove very different to other current efforts. Ultimately, each option has its strengths, uncertainties and constraints.

7.2.1 Afforestation and reforestation

Afforestation refers to planting trees on land not afforested in recent history (usually 50 years or longer), while reforestation refers to the replanting of trees on more recently deforested land (Hamilton *et al.*, 2010). Agroforestry practices entail the integration of trees into agricultural systems, in combination with crops, livestock or both. Afforestation, and reforestation, and agroforestry projects form part of several voluntary and mandatory carbon-offset trading schemes worldwide (Diaz *et al.*, 2011; Miles and Sonwa, 2015).

Globally, the carbon dioxide removal potential for afforestation and reforestation options is quite significant—it has been estimated at between 4 and 12 GtCO₂ per year (Smith *et al.*, 2016), with other recent estimates even higher, at up to 28 GtCO₂ per year (Griscom *et al.*, 2017). Preparation and deployment can be done at a relatively modest cost³, with the potential for co-benefits. The existence of various projects today, and the experience of forest managers worldwide, provide a high level of technical readiness for afforestation and reforestation options⁴. As such, afforestation and reforestation are considered established carbon dioxide removal options and projects could feasibly be launched soon.

Ultimately, achieving large carbon removal rates and volumes would require very large tracts of land (Houghton *et al.*, 2015; Kriedenweis *et al.* 2016) and potentially huge volumes of water (Trabucco *et al.*, 2008), although vegetation density is positively correlated with the strength of precipitation sheds and has a moderating effect on the volatility of water availability—in this regard, distant effects might be different and as such, more research is required. Competition for land and water used for food production is a development concern, but could be minimized through agroforestry⁵ or careful selection of appropriate land areas for afforestation and reforestation. There are significant uncertainties around

² While agroforestry is widely present in the tropics, there are many agroforestry systems in temperate and even boreal regions. For example, according to Aertsens *et al.* (2013), 90 percent of Europe's mitigation potential in the agriculture sector stems from agroforestry.

³ For example, Nielsen *et al.* (2014) report that, within the United States of America, up to 730 MtCO₂ per year might be sequestered at a carbon price below US\$50 per tonne of carbon.

⁴ Political and planning readiness varies between countries.

⁵ Such competition is avoided in agroforestry systems, which allow integrated management of agricultural landscapes for food production and the delivery of ecosystem services (Zomer *et al.*, 2016; Kimaro *et al.*, 2011; Williams-Guillén *et al.*, 2008).

the impacts on non-carbon dioxide greenhouse gases (Benanti *et al.*, 2014), albedo (Kirschbaum *et al.*, 2011; Zhao and Jackson, 2014), evapotranspiration, emissions of volatile organic compounds and other issues⁶. Obstacles may also arise with regard to monitoring, sustaining sequestered carbon in the long term due to sink saturation, changing practices among forest managers and farmers, and creating market and policy contingencies. Despite these uncertainties and obstacles, experience with managing forests stands in our favour for adopting these options, which, as previously mentioned, also have the potential to contribute to other global sustainability goals.

7.2.2 Other 'natural', land-based solutions

Other natural, land-based carbon dioxide removal solutions rely on the restoration or construction of high carbon density, anaerobic ecosystems, including "inland organic soils and wetlands on mineral soils, coastal wetlands including mangrove forests, tidal marshes and seagrass meadows, and constructed wetlands for wastewater treatment" (IPCC, 2014). Hereinafter, these solutions are referred to as wetlands. It is increasingly critical to not only preserve existing wetlands, but also to restore and construct these ecosystems for use as carbon dioxide removal solutions.

Peatlands and coastal wetlands store up to 44 to 71 percent of the world's terrestrial biological carbon pool (Zedler and Kercher, 2005). While the carbon stocks in peatlands and coastal wetlands are now vulnerable to reversal (Parish *et al.*, 2008), these ecosystems also have significant carbon sequestration capacity (Page and Hooijer, 2016).

Compared to afforestation and reforestation options, much less is known about wetlands. Roughly one third of global wetland ecosystems had been lost by 2009 (Hu *et al.*, 2017), suggesting there are a number of locations where work could begin. Long-term sequestration rates in wetlands range from 0.1 to 5 tonnes of carbon per hectare and per year, a rate that significantly improves when emissions avoided from (previously degraded) restored wetlands are counted (Parish *et al.*, 2008; Mitsch *et al.*, 2012; Smith *et al.*, 2008). However, estimating global rates and volumes is challenging. Carbon dioxide abatement costs for wetland restoration range from US\$10 to US\$100 per tonne of carbon dioxide (Worrall *et al.*, 2009), suggesting potential low-cost options for projects.

Little is known about the total land and water requirements needed to achieve substantial and sustainable levels of carbon dioxide removal through wetlands. However, non-carbon dioxide greenhouse gases represent a substantial risk. While wetlands store significant amounts of carbon in above- and below-ground biomass, and in soil, they have also historically been a significant source of methane, with estimates ranging from 20 to 25 percent of global methane emissions (Mitsch *et al.*, 2012). As such, restoring some wetlands could induce a short-term net warming effect (Mitsch *et al.*, 2012) due to increased emissions of methane

6 These uncertainties could be reduced or better characterized through a dedicated science programme aimed at understanding the issues across ecosystems, latitudes and climate zones.

and nitrous oxide⁷. In addition, while some sites may be suitable for early remediation, in other instances, sites of former wetlands have been converted to ports, industrial sites and other high-value capital assets, which limits the extent to which they can be used for carbon dioxide removal. Griscom *et al.* (2017) estimate that avoided coastal wetland impacts, avoided peat impacts and peat restoration could deliver 0.3, 0.7 and 0.8 GtCO₂ per year, respectively, by 2030. As with forest management, wetlands and peatlands have been managed by humans for many years, which provides an opportunity to capitalize on existing knowledge and on the readiness to implement measures (Griscom *et al.*, 2017). There is also the added potential to contribute to other global sustainability goals such as improved water quality, ecosystem restoration, biodiversity preservation and job creation.

7.2.3 Soil carbon sequestration

Soil carbon sequestration occurs when a change in land management practices increases the carbon content of soil, thus resulting in a net removal of carbon dioxide from the atmosphere. Since the level of carbon in the soil is a balance of carbon inputs (for example, from litter, residues, roots or manure) and carbon losses (mostly through respiration, which is increased by soil disturbance), practices that either increase inputs or reduce losses can promote soil carbon sequestration. Lal (2011, 2013) and Smith *et al.* (2008, 2014) cite a large number of land management practices that can promote soil carbon sequestration, some of which can also promote carbon sequestration in above-ground biomass.

Soil carbon sequestration uses agricultural and land management practices that are generally well known by farmers and land managers, and for the most part, does not require additional machinery or infrastructure. It therefore represents a readily available option to be implemented.

Rates for soil carbon sequestration vary considerably, depending on land management approaches, soil type and climate region (Smith, 2012; Lal, 2013). When scaled globally, the technical potential for soil carbon sequestration is estimated at 4.8 GtCO₂e per year (Smith, 2016)⁸. Assuming unit costs between US\$20 and US\$100 per tonne of carbon, the global carbon emissions mitigation potential of soil carbon sequestration ranges between 1.5 and 2.6 GtCO₂e per year (Smith *et al.*, 2008; Smith, 2016). It is worth noting that for some systems, such as croplands and grazing lands, soil carbon sequestration costs range from minus US\$45 to plus US\$10 per tonne of carbon (Smith, 2016), suggesting there are revenues and cost savings to be made from some of these practices⁹. Smith (2016) estimated that carbon dioxide removal through soil carbon sequestration at a rate of

7 Dedicated and sustained research is needed to resolve or reduce these uncertainties.

8 Other estimates range between 0.4 GtCO₂e per year (Powelson *et al.*, 2014) and 11.4 GtCO₂e per year (Lal, 2011; Lal, 2013; Minasny *et al.*, 2017).

9 Most of the annual estimates are based on sequestration values calculated over 20 years. Given that sinks saturate, annualized sequestration estimates should be multiplied by 20 to derive the total cumulative sequestration potential.

2.6 GtCO₂e per year would save US\$7.7 billion, comprising US\$16.9 billion of savings and US\$9.2 billion of costs.

Although the apparent energy costs for soil carbon sequestration appear low, and in many cases, soil carbon sequestering practices would benefit soil ecosystems and agribusinesses, implementing these practices involves a significant range of potential land requirements (Smith *et al.*, 2010). While emissions from methane may be limited, soil carbon sequestration may result in emissions of nitrous oxide (Smith, 2016). As for wetlands, dedicated and continued research on these uncertainties and challenges could help reduce risks and improve performance.

Barriers to implementation include lack of knowledge among farmers, lack of policy incentives, monitoring and verification of practices and costs and crucially, reversibility of stored carbon. Dedicated pilot projects and programmes could help to identify the measures required to overcome these barriers, with an emphasis on learning-by-doing and resolving key uncertainties through data acquisition and development of practices. Since soils have been managed for millennia, there is a high level of knowledge and readiness, with the potential to contribute to other global sustainability goals such as improved water quality, ecosystem restoration, biodiversity preservation, job creation and increased yields and food security.

7.2.4 Biochar

Biochar is produced through pyrolysis of biomass into a stable, long-lived product, such as charcoal. Biochar is resistant to decomposition (Lehmann *et al.*, 2015) and can stabilize organic matter added to soil (Weng *et al.*, 2017). It can form long-term carbon pools in the soil and provide a range of soil fertility and soil quality co-benefits, such as improved water and nutrient retention, increased soil porosity and higher crop yields.

While biochar can be applied at high rates (Genesio *et al.*, 2012; Zhang *et al.*, 2010), the net benefits of biochar are likely to be higher if applied in low volumes in the most responsive soils¹⁰. The carbon dioxide removal potential through biochar is high: it has been estimated at between 1.8 and 3.3 GtCO₂e per year (Woolf *et al.*, 2010). However, the efficacy of biochar for carbon dioxide removal is disputed¹¹. Costs range between US\$18 and US\$166 per tonne of carbon dioxide-equivalent per year (Woolf *et al.*, 2010), although economic benefits and revenues could offset part of this cost.

Although biochar is an established technology, it is not yet widely applied, in part due to costs and the (limited) availability of infrastructure. Additional infrastructure (namely pyrolysis facilities) would be required for large-scale implementation. Indeed, the quantity of biomass available for biochar production is a key factor limiting the global

potential for carbon dioxide removal through biochar. Energy and water are also required to produce the crop feedstocks, although producing biochar can also produce power and fuels¹². While the land use for carbon dioxide removal through biochar appears relatively modest (between 26 and 95 million hectares), estimates are dependent on land and crop quality. Not least, carbon dioxide-reduction benefits may be mitigated by albedo reduction (Bozzi *et al.*, 2015). Although the risks of reversibility and difficulty of monitoring are lower than for soil carbon sequestration, barriers such as limited knowledge of practice or policy support remain.

7.3 Combined land/technology-based option: bioenergy with carbon dioxide capture and storage

Bioenergy with carbon dioxide capture and storage removes carbon dioxide from the atmosphere through the cultivation of biomass (bioenergy), and stores carbon dioxide from energy generation in deep, geological formations (carbon dioxide capture and storage), providing net carbon removal. So far, this is the carbon dioxide removal technology that has featured most prominently in the mitigation scenarios by the Intergovernmental Panel on Climate Change (Fuss *et al.*, 2016; Fuss, 2017).

Many integrated assessment models estimate the availability of sustainable bioenergy at 100 exajoules per year (Creutzig *et al.*, 2015; Slade *et al.*, 2014)¹³; fewer models accommodate estimates above 300 exajoules per year.

With regard to carbon dioxide capture and storage, estimates for geological storage capacity are well above 5,000 GtCO₂. However, the estimated capacities are not viable in all locations (Scott *et al.*, 2015; De Coninck and Benson, 2014; Lassiter and Misra, 2016; Global CCS Institute, 2016).

The combined potentials of bioenergy and carbon dioxide capture and storage in 2050 are estimated at between 2 and 18 GtCO₂ per year (Kemper, 2015; USNAS 2015a; McLaren, 2012). To achieve this scale, the demands on land use are significant: a level of carbon dioxide removal consistent with average 2°C emissions pathways would require between 0.38 and 0.7 billion hectares of crops purpose-grown for bioenergy with carbon dioxide capture and storage (Smith *et al.*, 2016)¹⁴. Under more conservative assumptions, the demands on land use would be even higher (Monfreda *et al.*, 2008).

Use of agricultural and forest residue as a feedstock for bioenergy does not require competition for land, although its extraction can adversely impact soil carbon stocks (Smith *et al.*, 2016). The potential competition for land from widespread use of bioenergy with carbon capture and

10 Notably after enhancement through co-composting or nutrient addition (Joseph *et al.*, 2013).

11 Interestingly, biochar can reduce non-carbon dioxide greenhouse gases, notably nitrous oxide (Cayuela *et al.*, 2015).

12 Net energy balances remain controversial and dependent on process, feedstock and products.

13 Roughly, this represents 15 percent of global primary energy consumption today.

14 For comparison, global agriculture today, including both farming and grazing, requires roughly 5 billion hectares of land.

storage remains a major issue for large-scale bioenergy with carbon capture and storage deployment and policymaking.

In a scenario consistent with the 2°C target, infrastructure investment costs associated with bioenergy with carbon dioxide capture and storage in 2050 are estimated at US\$138 billion per year for power and US\$123 billion per year for fuels (Smith *et al.*, 2016). Nonetheless, there are significant variations in unit costs for bioenergy and with carbon dioxide capture and storage, depending on assumptions about feedstock, technology, supply chains and logistics¹⁵.

For a level of bioenergy with carbon capture and storage deployment consistent with a 2°C target, 170 exajoules per year of energy would be generated from bioenergy with carbon capture and storage by 2100 (Smith *et al.*, 2016).

Bioenergy with carbon dioxide capture and storage could have a large impact on water use, requiring about 720 km³ per year or roughly 3 percent of the fresh water currently appropriated for human use (Smith *et al.*, 2016). Non-carbon dioxide greenhouse gas impacts are value-chain specific and uncertain, as are global albedo effects (Bright *et al.*, 2015; Jones *et al.*, 2015). Taken together, these considerations suggest that (i) over the next 10 to 20 years, carbon reduction using combined land- and technology-based options will be challenging; and (ii) there are risks associated with large-scale implementation of these options.

Three main barriers stand out with regard to large-scale implementation of bioenergy with carbon dioxide capture and storage. Firstly, carbon dioxide capture and storage and bioenergy enjoy little public acceptance (Benson *et al.*, 2012; Upham and Roberts, 2011; Wallquist *et al.*, 2012; de Best-Waldhober *et al.*, 2009). Secondly, whether there are substantial, or even any carbon reductions when accounting for displaced activities is unclear (Havlik *et al.*, 2011; Frank *et al.*, 2013; Searchinger *et al.*, 2009; Plevin *et al.*, 2010; Creutzig *et al.*, 2015; Popp *et al.*, 2012). Thirdly, the lack of economic incentives and the regulatory barriers related to underground storage hamper large-scale implementation (De Coninck and Benson, 2014)¹⁶.

McLaren (2012) reports a technological readiness level of 4 to 6 for bioenergy with carbon dioxide capture and storage from combustion and co-firing, and a technological readiness level of 5 to 6 for bioenergy with carbon dioxide capture and storage from ethanol fermentation (technological readiness level 6 corresponds to “prototype demonstration in the ‘relevant’ real-world environment” and technological readiness level 4 to the stage of “component validation”). Although individually, both bioenergy and carbon dioxide capture and storage are relatively mature technologies, in combination they have seen very little demonstration and

deployment, especially at a large scale. Whether bioenergy with carbon dioxide capture and storage can thus be scaled up in the manner required to achieve ambitious climate change targets remains questionable, given the lag in actual carbon dioxide capture and storage deployment, compared to the requirements associated with emissions pathways that are compatible with the 2°C target (Peters *et al.*, 2017; Peters and Geden, 2017).

7.4 Technology-based carbon dioxide removal options

Man-made technologies to remove carbon dioxide from the air have been in use for many years, mostly in submarine, aerospace and medical applications. Consideration of them as global-scale carbon removal agents is recent (USNAS, 2015a). They offer specific benefits in that they use very little land or water, they do not emit non-carbon dioxide greenhouse gases and they have very high levels of certainty regarding the flux and long-term fate of the carbon dioxide removed. Some approaches also produce materials that can be used commercially, for example, cements and aggregates.

However, many approaches are expensive. Most have not been deployed at scale and have a low level of technical readiness. Investment in developing these options will likely yield breakthroughs in material science and manufacturing, and could spur new industries and a circular carbon economy (McDonough, 2016; Center for Carbon Removal, 2017), as was true for lithium-ion batteries 25 years ago (The Economist, 2017). Nonetheless, among the 23 countries committed to undertaking large-scale research and development programmes in this and related areas, only the United Kingdom has financed technology-based carbon dioxide removal programmes, and at a modest level of £8.6 million (approximately US\$11.3 million) per year (NERC, 2017).

Each option has strengths, uncertainties and constraints. The low level of readiness facing many technologies is perhaps the most pressing issue.

7.4.1. Direct air capture

Direct air capture is the practice of separating carbon dioxide from ambient air, typically through chemical or physical separation (Lackner *et al.*, 1999; Sanz-Peres *et al.*, 2016). Early approaches to this process have been applied in aerospace and submarine settings, to provide environmental controls (Keith *et al.*, 2006). To achieve carbon removal and negative emissions, direct air capture would have to be combined with carbon-dioxide capture and storage or carbon dioxide conversion to long-lived materials (see below)¹⁷.

To yield negative emissions, direct air capture combined with carbon dioxide capture and storage must be powered predominantly by zero-carbon energy sources (wind, solar,

15 Estimates of cost per tonne of carbon dioxide range from US\$60–250 (Kemper, 2015), to US\$70–250 (McLaren, 2012), to as little as US\$15–45 for bioenergy and carbon dioxide capture and storage from ethanol fermentation.

16 Current low carbon prices deter investments in bioenergy with carbon dioxide capture and storage. The withdrawal of public support for these technologies (as was the same effect).

17 Several companies have fielded direct air capture units (Marshall, 2017; Lassiter and Misra, 2016). Most of these produce fresh water as a by-product (American Physics Society, 2011). Niche applications could include the food and beverage industry, semiconductor manufacturing and remote sites for enhanced oil recovery (Lassiter and Misra, 2016).

geothermal, hydro and nuclear). Although this approach has a technical potential above 20 GtCO₂ per year, actual global deployment is likely to result in reductions of between 2 and 5 GtCO₂ per year (USNAS, 2015a).

Cost remains the largest barrier to deployment. Since direct air capture involves separating carbon dioxide from air, and the partial pressure of carbon dioxide in air is low, costs can be between US\$200 and US\$600 per tonne (American Physics Society, 2011)¹⁸. Like bioenergy with carbon dioxide capture and storage, direct air capture combined with carbon dioxide capture and storage would require functional scale deployment of carbon dioxide capture and storage, which represents both a potential limit and cause for renewed commitments to the technology (Center for Carbon Removal, 2017).

It is worth noting that it is possible to directly separate dissolved carbon dioxide from ocean water and from air. This could provide an additional benefit as a local or global countermeasure to ocean acidification. However, research on dissolved ocean carbon dioxide is very recent and at very low technical readiness levels (Willauer *et al.*, 2014)¹⁹.

7.4.2. Accelerated weathering of minerals

It has long been known that natural weathering of most rocks (silicates, carbonates and oxides) binds carbon dioxide from the atmosphere (Chamberlain, 1899; Raymo, 1991). Accelerated weathering has been proposed as a means of either drawing carbon dioxide from the air, binding it permanently, or both (Lackner *et al.*, 1995; Chiang and Pan, 2017). Much of this research proposes using rocks that are very rich in iron, calcium and magnesium (ultramafic rocks) as the primary feedstock, and reacting these in situ or ex situ with carbon dioxide to form carbonate rocks and minerals, locking away atmospheric carbon dioxide in the process (Kelemen and Matter, 2008).

While the technical potential of accelerated weathering is, in theory, unlimited (IPCC, 2005), the *effective* technical potential is not. This is due to the kinetics of most carbon dioxide mineral reactions, which are slow and limit the viable rates for carbon dioxide removal. Not least, the technical potential can be limited by the rate at which the ground material can be applied to land (Smith *et al.*, 2016, Taylor *et al.*, 2016). Global estimates of potential for accelerated weathering of minerals are in the range of 0.7 and 3.7 GtCO₂ per year (Lenton, 2014; Smith *et al.*, 2016).

While kinetics can be improved by grinding, drilling and deep, in situ injection, adding heat or other energy sources, or adding chemicals (such as strong acids), these approaches dramatically increase costs and can increase the carbon intensity of the overall process²⁰. These estimates are poorly

represented in the literature, thus necessitating additional research in this area.

Since carbon dioxide is bound indefinitely in chemical form, there is both high confidence in carbon dioxide retention for many years, and robustness in accounting and validation of carbon storage and removal. For ex situ approaches, revenues from product sales, including agricultural inputs or aggregate and cement for construction offer an additional benefit (Monkman and MacDonald, 2015; CO₂Sciences, 2016)²¹.

7.4.3. Ocean alkalinity enhancement

The addition of alkaline materials to sea water enhances the amount of carbon stored in the ocean. It draws carbon dioxide from the atmosphere by shifting the equilibrium between atmospheric carbon dioxide and dissolved inorganic carbon in the ocean, which also serves to counter ocean acidification. While ocean alkalinity enhancement has received very little attention, compared to other carbon dioxide removal options, it has the potential “to sequester hundreds of billions to trillions of tonnes of [carbon]” (Renforth and Henderson, 2017).

Ocean alkalinity can be enhanced in a number of ways:

- Weathering of silicate and carbonate minerals on land, resulting in the introduction of calcium and magnesium ions into ocean waters (Hartmann *et al.*, 2013; Rau *et al.*, 2007).
- Introducing calcium ions into ocean water by adding calcium oxide or calcium hydroxide to sea water, a procedure often referred to as ocean liming (Khesghi, 1995; Renforth and Kruger, 2013).
- Electrolysis of sea water, often referred to as electrochemical splitting, to increase aqueous sodium hydroxide (House *et al.*, 2007) or to accelerate the dissolution of calcium carbonate (Rau *et al.*, 2004).

Few techno-economic assessments of these approaches exist. Preliminary estimates range from US\$10 to US\$600 per tonne of carbon dioxide for weathering of silicate and carbonate minerals, US\$72 to US\$159 per tonne of carbon dioxide for ocean liming and US\$14 to US\$190 per tonne of carbon dioxide for electrochemical splitting (Renforth and Henderson, 2017).

The availability of suitable minerals close to oceans would limit deployment. Notwithstanding, environmental concerns and governance considerations may prove to be the primary barrier to implementation. Regarding the former, the consequences of increased alkalinity on marine ecosystems are poorly understood (Henderson *et al.*, 2008)²². Regarding the latter, the addition of alkaline materials to the ocean would fall within the remit of the International

18 Specialized companies claim much lower prices today (a maximum of US\$500 per tonne) and cost reductions of about 50 percent in the next 10 years.

19 Nonetheless, the United States Senate recently asked the National Academies to undertake an assessment on the matter (Whitehouse, 2017).

20 Costs would range between US\$20 and US\$1,000 per tonne of carbon dioxide (USNAS, 2015a).

21 Early niche applications are likely at diamond, base-metal and asbestos mines with tailings of carbon dioxide-reactive rocks that have already been processed for primary mineral extraction.

22 Note that the addition of alkaline materials would counteract ocean acidification.

Maritime Organization, through the London Protocol to the “Convention on the Prevention of Marine Pollution by Dumping of Wastes and Other Matter” (also known as the “London Convention”)²³.

7.4.4. Conversion of carbon dioxide to long-lived products

The concept of using carbon dioxide to produce chemicals and materials was already being developed in the context of chemical research in the 1970s, long before climate change and the possibilities for removing CO₂ from the atmosphere entered the public debate (Aresta, 2010; Bruhn *et al.*, 2016). Most of these technologies have not been developed with long-term storage of carbon dioxide in mind. In addition, most materials based on captured carbon dioxide (for example, polyurethane foams or fuels such as ethanol) only have limited lifetimes in the context of the timescales that are relevant to climate change (Aresta, 2013; CLCF, 2011). An exception to this is carbonates, which are used to produce cement-like construction materials in which long-term (decades to centuries) sequestration of carbon dioxide can be achieved (von der Assen, Jung *et al.*, 2013; Bruhn, 2016), as noted above.

Recently, there has been new research and commercial activity focused on converting carbon dioxide directly to other long-lived materials, including polymers, carbon fibre composites, graphene, carbon black and even diamond (ICEF, 2017). Although these companies and research efforts are in their infancy, they have attracted substantial commercial interest. Due to the early stages of development, it is difficult to estimate the upscaling potential of the various approaches. A recent estimate puts the annual market for these materials between 1 and 7 GtCO₂ per year, although this is contingent on policy- and market-support actions (CO₂Sciences, 2016).

7.5. Governance issues for carbon dioxide removal

Realizing the potential of carbon dioxide removal would require large-scale investment in research (to reduce key uncertainties), and development and deployment incentives (to reduce costs). Governments can play a key role in providing the funding and incentives needed to achieve these investments (Lomax *et al.*, 2015; Peters and Geden, 2017).

Firstly, government policy can work to protect communities from any potential, negative side-effects (environmental, economic, social, political and ethical) associated with large-scale deployment of carbon dioxide removal solutions (Buck, 2016). Secondly, governments can set consistent standards for transparency, notably with regard to the measurement and verification of carbon stored from a given carbon dioxide removal solution (Zakkour *et al.*, 2014). Thirdly, they can require that standards accept products arising

from carbon dioxide-reduction approaches²⁴. And finally, they would have to develop international agreements with regard to the transboundary effects of these technologies (Schäfer *et al.*, 2015).

There is currently limited discussion on carbon dioxide removal issues in most subnational and international climate policy forums. Policymakers might consider giving attention to the importance of carbon dioxide removal, the risks and challenges faced by leading carbon dioxide removal solutions and the policy options for addressing these risks and challenges (Williamson, 2016). This is because, to achieve the objectives of the Paris Agreement, mobilizing a rapid reduction of greenhouse gas emissions will be essential. Carbon dioxide removal can play an important role in meeting these objectives. However, to do so, enabling actions on carbon dioxide removal will be required, including more extensive policy discussions and focus on specific barriers to deployment (Peters and Geden, 2017).

Many key uncertainties can be explored using a learning-by-doing approach, notably by undertaking research and small-scale deployment activities (Lomax *et al.*, 2015). All of the approaches described in this chapter have initiated or can initiate small- and large-scale pilot projects, from which data on cost, performance and improvement opportunities can be drawn (IEA, 2017). Some efforts, such as afforestation or reforestation projects, have begun under the jurisdiction of United Nations programmes that could be expanded or rapidly scaled up. Scenarios that show net emissions turning negative in the second half of the 21st Century can give the false impression that there is no urgency. However, to achieve those scenarios will require significant amounts of gross negative emissions by 2030 at the latest (Rogelj *et al.*, 2015; Anderson and Peters, 2016), and advancing techniques to maturity usually takes decades.

7.6 Conclusions and recommendations

Carbon dioxide removal remains an important set of undertakings following the Paris Agreement, to supplement immediate and aggressive mitigation action. In order to achieve the goals of the Paris Agreement, to keep the global mean temperature increase well below 2°C (or even below 1.5°C), carbon dioxide removal is likely a necessary step.

Although there is much ongoing work worldwide on this topic, the field of carbon removal remains very young (particularly for technology-based solutions), with relatively little scholarship on the direct topic of carbon dioxide removal. In some cases, efforts aimed at strengthening approaches to carbon dioxide removal can build on deep understanding and experience from other industries, for example, agribusinesses or heavy industry. Nonetheless, specific questions concerning current and future costs of carbon dioxide removal options, the longevity of carbon retention, the environmental consequences of scale-level

23 The London Convention is examining ocean alkalinity enhancement.

24 For example, the International Civil Aviation Organization (ICAO) standards do not currently accept synthetic fuels made from carbon dioxide derived from direct air capture.

deployment of carbon dioxide removal and other key questions remain largely unexplored. Critically, only one country in the world (the United Kingdom) has a government programme aimed explicitly at supporting carbon dioxide removal (NERC, 2017).

In light of the above, there are four key recommendations for consideration:

- Governments around the world might carefully assess the potential role of carbon dioxide removal in achieving the goals of the Paris Agreement. They would benefit from understanding these technologies and the potential ancillary benefits they may provide to commerce and trade, such as improved crop yields.
- Governments and other stakeholders could launch joint research and development programmes on the many pathways for carbon dioxide removal. Such programmes would be appropriate, given that some carbon dioxide removal options are only at the early stages of development, and in light of the role they could play in curbing climate change. Both core scientific undertakings (for example, a decade-long science programme on the carbon cycle in soil) and technology development efforts (focused, for example, on novel materials and processes for direct air capture) could be included, possibly structured around pilot programmes and early-demonstration activities, where progress can be made quickly and early-action opportunities can be identified and investigated.
- Carbon dioxide removal presents specific challenges for life-cycle accounting, which will directly affect accounting standards, industrial standards, industrial and financial practice, and regulation. Emissions trading in particular would be complicated by carbon-negative approaches. Overt and dedicated analysis and efforts would be required to develop, refine and incorporate carbon dioxide removal approaches into these commercial and governmental endeavours.
- Some approaches raise questions around global governance in the near term (for example, ocean alkalinity enhancement vis-a-vis the London Convention). In addition, wide deployment of carbon dioxide removal raises fundamental questions about how to appropriately stabilize atmospheric carbon dioxide concentrations and how to manage interests globally and among nations. Dedicated working groups, perhaps modelled on the Climate and Clean Air Coalition and their work on short-lived climate pollutants, could be formed and begin discussing these issues.
- Since the land-based systems relevant for carbon dioxide removal have been managed by humans for many years, there is a wealth of knowledge that can be readily applied today with confidence. Furthermore, these approaches present opportunities to meet other global sustainability goals, such as improved water quality, ecosystem restoration, biodiversity preservation, food and nutrition security, job creation and improved crop yields.

References

Chapter 1

- UNEP (2016). *'The Emissions Gap Report 2016'*, United Nations Environment Programme (UNEP), Nairobi. Available at: http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=2&ved=0ahUKewiAncDtsfPWAhViQZoKHZt9CrAQFggwMAE&url=http%3A%2F%2Fwedocs.unep.org%2Fbitstream%2Fhandle%2F20.500.11822%2F10016%2Femission_gap_report_2016.pdf&usg=AOvVaw3gBleyjAH07zqiljLQw9N2 [Accessed 15 October 2017].
- UNEP (2015). *'The Emissions Gap Report 2015'*, United Nations Environment Programme (UNEP), Nairobi. Available at: http://uneplive.unep.org/media/docs/theme/13/EGR_2015_Technical_Report_final_version.pdf [Accessed 15 October 2017].
- UNFCCC (2017). *'Initial feedback by Fiji and Morocco on the approach to the Facilitative Dialogue 2018 based on their consultations with Parties'* United Nations Framework Convention on Climate Change (UNFCCC), Bonn Available at: http://unfccc.int/files/na/application/pdf/preliminary_ideas.pdf [Accessed 20 October 2017].
- UNFCCC (2015). *'The Paris Agreement'*, The Conference of the Parties. Available at: <https://unfccc.int/resource/docs/2015/cop21/eng/l09r01.pdf> [Accessed 15 October 2017].

Chapter 2

- Australian Government (2016) Australia's emissions projections 2016. <http://www.environment.gov.au/system/files/resources/9437fe27-64f4-4d16-b3f1-4e03c2f7b0d7/files/aust-emissions-projections-2016.pdf>: Department of the Environment and Energy, Australia.
- Bappenas (2015) Sekretariat RAN-GRK. Available at: <http://apki.net/wp-content/uploads/2015/07/Presentasi-INDC-BAPPENAS-di-KLHK.pptx>.
- BP (2017) *Statistical review of World Energy 2016, British Petroleum*, <http://www.bp.com/en/global/corporate/energy-economics/statistical-review-of-world-energy.html>.
- Climate Action Tracker (2017a) Action by China and India slows emissions growth, President Trump's policies likely to cause US emissions to flatten. Policy Brief Climate Analytics, Ecofys and NewClimate institute, Available at: http://climateactiontracker.org/assets/publications/briefing_papers/CAT_2017-05-15_Briefing_India-China-USA.pdf [Accessed 7 August 2017].
- Climate Action Tracker (2017b) Country assessment: Brazil (updated 17 May, 2017). Climate Action Tracker (Climate Analytics, Ecofys, NewClimate Institute). <http://climateactiontracker.org/countries/brazil.html> (Accessed 27 August, 2017).
- Climate Action Tracker (2017c) Country assessment: China (updated 17 May, 2017). Climate Action Tracker (Climate Analytics, Ecofys, NewClimate Institute). <http://climateactiontracker.org/countries/china.html> (Accessed 27 August, 2017).
- Climate Action Tracker (2017d) Country assessment: India (updated 17 May, 2017). Climate Action Tracker (Climate Analytics, Ecofys, NewClimate Institute). <http://climateactiontracker.org/countries/india.html> (Accessed 27 August, 2017).
- Climate Action Tracker (2017e) Country assessment: Japan (updated 9 May, 2017). Climate Action Tracker (Climate Analytics, Ecofys, NewClimate Institute). <http://climateactiontracker.org/countries/japan.html> (accessed on 27 August, 2017).
- Climate Action Tracker (2017f) Country assessment: South Africa (updated 6 July, 2017). Climate Action Tracker (Climate Analytics, Ecofys, NewClimate Institute). <http://climateactiontracker.org/countries/southafrica.html> (accessed on 27 August, 2017).
- Climate Action Tracker (2017g) <http://climateactiontracker.org/>.
- Climate Advisers (2017) Trumpbacktracker. <https://www.climateadvisers.com/trumpbacktracker/>.
- Climate Transparency (2017) Brown to Green: The G20 transition to a low-carbon economy. Climate Transparency, c/o Humboldt-Viadrina Governance Platform, Berlin, Germany, www.climate-transparency.org.
- Climateinteractive (2017) What Slashing Climate Rules Means For the U.S. Pledge to Paris, Available at: <https://www.climateinteractive.org/media-coverage/what-slashing-climate-rules-means-for-the-u-s-pledge-to-paris/>
- Den Elzen, M., Admiraal, A., Roelfsema, M., Van Soest, H., Hof, A. F. & Forsell, N. (2016a) Contribution of the G20 economies to the global impact of the Paris agreement climate proposals. *Climatic Change*, 137, 655-665.
- Den Elzen, M. G. J., Fekete, H., Höhne, N., Admiraal, A., Forsell, N., Hof, A. F., Olivier, J. G. J., Roelfsema, M. & Van Soest, H. (2016b) Greenhouse gas emissions from current and enhanced policies of China until 2030: Can emissions peak before 2030? *Energy Policy*, 89, 224-236.

- Department Of Environmental Affairs Republic Of South Africa (2011a) South Africa's Second National Communication under the United Nations Framework Convention on Climate Change, Available at: <http://unfccc.int/resource/docs/natc/zafnc02.pdf> [Accessed 14 October 2016].
- Department Of Environmental Affairs Republic Of South Africa (2011b) Explanatory note: Defining South Africa's Peak, Plateau and Decline Greenhouse Gas Emission Trajectory. Available at: <http://www.climateaction.org.za/cop17-cmp7/sa-government-position-on-climate-change> [Accessed 24 October, 2017]
- EEA (2014) Trends and projections in Europe 2014. European Environment Agency, EEA Report No 6/2016, <http://www.eea.europa.eu/publications/trends-and-projections-in-europe-2014>.
- EEA (2016a) *Total greenhouse gas emissions trends and projections — European Environment Agency [Online]*. Available: <http://www.eea.europa.eu/data-and-maps/indicators/greenhouse-gas-emission-trends-6/assessment> [Accessed 27 January 2017].
- EEA (2016b) Trends and projections in Europe 2016 - Tracking progress towards Europe's climate and energy targets. European Environment Agency, EEA Report No 29/2016, <https://www.eea.europa.eu/publications/trends-and-projections-in-europe>.
- Environment And Climate Change Canada (2017) Canadian Environmental Sustainability Indicators: Progress Towards Canada's Greenhouse Gas Emissions Reduction Target. https://www.ec.gc.ca/indicateurs-indicators/CCED3397-174A-4F0E-8258-91DCFE295B34/ProgressTowardsCanadaGHGEmissionsTarget_EN.pdf.
- FAO (2017) FAOSTAT Production of live animals, crops, consumption of nitrogen fertilisers, burning – savannah. Available at: "<http://www.fao.org/faostat/en/>" \ "data" [Accessed 24 October 2017] Figueres, C., Schellnhuber, H. J., Whiteman, G., Rockström, J., Hopley, A. & Rahmstorf, S. 2017. Three years to safeguard our climate. *Nature*, 546, 593-595, doi:10.1038/546593a.
- Government of Canada (2016) Canada's Second Biennial Report on Climate Change, Environment and Climate Change Canada, https://www.ec.gc.ca/ges-ghg/02D095CB-BAB0-40D6-B7F0-828145249AF5/3001%20UNFCCC%202nd%20Biennial%20Report_e_v7_lowRes.pdf.
- Government of Japan. (2016) *Japan's Second Biennial Report Under the United Nations Framework Convention on Climate Change*, Available at: http://unfccc.int/files/national_reports/biennial_reports_and_iar/submitted_biennial_reports/application/pdf/japan_br2_revised.pdf [Online]. [Accessed].
- Government of Russia. (2014) *First Biennial Report of the Russian Federation [Online]*. UNFCCC, Bonn, available at: http://unfccc.int/files/national_reports/biennial_reports_and_iar/submitted_biennial_reports/application/pdf/1br_rus_unofficial_translation_eng.pdf [Accessed 12 December 2014].
- Government of Russia. (2015) *Second Biennial Report of the Russian Federation [Online]*. UNFCCC, Bonn, available at: <http://unfccc.int/resource/docs/2016/trr/rus.pdf>. [Accessed 2015].
- Government of Brazil (2010) DECREE No. 7390, 9 December 2010. http://www.planalto.gov.br/ccivil_03/_Ato2007-2010/2010/Decreto/D7390.htm
- Government of Mexico (2012a) Mexico. México quinta comunicación nacional ante la Convención Marco de las Naciones Unidas sobre el Cambio Climático.: <http://unfccc.int/resource/docs/natc/mexnc5s.pdf>.
- Government of Mexico (2012b) Programas para mitigar el cambio climático, Available at: <http://www2.inecc.gob.mx/publicaciones/libros/685/programas2.pdf> [Accessed 10 November 2015].
- Grassi, G., House, J., Dentener, F., Federici, S., Den Elzen, M. & Penman, J. (2017) The key role of forests in meeting climate targets requires science for credible mitigation. *Nature Clim. Change*, 7, 220-226.
- Green, F. and Stern, N. (2017) China's changing economy: implications for its carbon dioxide emissions. *Climate Policy*, 17, 423-442.
- Hafstead, M. (2017) On Trump, Paris, and Greenhouse Gas Emissions. Retrieved August 7, 2017, from Resources for the Future: <http://www.rff.org/blog/2017/trump-paris-and-greenhouse-gas-emissions>.
- IEA (2015) *World Energy Outlook 2016, Paris, France, International Energy Agency*.
- IEA (2017) IEA finds CO₂ emissions flat for third straight year even as global economy grew in 2016, Paris, France, International Energy Agency, <https://www.iea.org/newsroom/news/2017/march/iea-finds-co2-emissions-flat-for-third-straight-year-even-as-global-economy-grew.html>.
- Jackson, R. B., Canadell, J. G., Le Quere, C., Andrew, R. M., Korsbakken, J. I., Peters, G. P. & Nakicenovic, N. (2016) Reaching peak emissions. *Nature Clim. Change*, 6, 7-10.
- Janssens-Maenhout, G., Crippa, M., Guizzardi, D., Muntean, M., Schaaf, E., Dentener, F., Bergamaschi, P., Pagliari, V., Olivier, J. G. J., Peters, J. A. H. W., Van Aardenne, J. A., Monni, S., Doering, U. & Petrescu, A. M. R. (2017) EDGAR v4.3.2 Global Atlas of the three major Greenhouse Gas Emissions for the period 1970-2012. *Earth Syst. Sci. Data Discuss.*, 2017, 1-55 (in review).
- Kuramochi, T., Höhne, N., Hagemann, M., Sterl, S., El-Laboudy, T., Wouters, K., Deng, Y., Blok, K., Hare, B., Schaeffer, M., Cantzler, J., Rocha, M., Deryng, D., Rogelj, J., Sindt, J. & Yanguas Parra, P. (2016a) The ten most important short-term steps to limit warming to 1.5°C. Climate Analytics, Ecofys and the Potsdam Institute for Climate Impact Research (PIK).
- Kuramochi, T., Höhne, N., Sterl, S., Gonzales-Zuñiga, S., Hans, F., Hagemann, M., Hernandez Legaria, E., Den Elzen, M. G. J., Roelfsema, M., Van Soest, H., Forsell, N. & Turkovska, O. (2016b) Greenhouse gas mitigation scenarios for major emitting countries: Analysis of current and planned climate policies, and mitigation pledges. Cologne, Germany: NewClimate Institute, PBL, IIASA, <http://www.pbl.nl/en/publications/greenhouse-gas-mitigation-scenarios-for-major-emitting-countries>.
- Ministry of The Environment and Sustainable Development Argentina. (2015) *Tercera Comunicación Nacional del Gobierno de la República Argentina a las Partes de la Convención Marco de las Naciones Unidas sobre Cambio Climático [Online]*. *Secretaría de Ambiente y Desarrollo Sustentable de la Nación*. Available: <http://unfccc.int/resource/docs/natc/argnc3s.pdf> [Accessed 4 August 2016].
- Mitra, A., Chitkara, P., Ross, K., Singh, M., Sawhney, S., Keswani, S. & Batra, P. (2017) Pathways for Meeting India's Climate Goals. Washington DC, USA: World Resource Institute.
- NCCS (2013) National Climate Change Strategy. 10-20-40 Vision. Mexico: Federal Government of Mexico.
- Olivier, J. G. J., Peters, J. A. H. W. & Schure, K. M. (2017) Trends in global emissions of CO₂ and other greenhouse gases: 2017 Report. PBL report no. 2674, PBL Netherlands Environmental Assessment Agency, Bilthoven, the Netherlands, <http://www.pbl.nl/en/news/newsitems/2017/greenhouse-gas-emission-levels-continued-to-rise-in-2016>.
- PBL (2017) PBL Climate Pledge NDC tool, www.pbl.nl/indc. PBL Netherlands Environmental Assessment Agency.

- Peters, G. P., Andrew, R. M., Canadell, J. G., Fuss, S., Jackson, R. B., Korsbakken, J. I., Le Quere, C. & Nakicenovic, N. (2017) Key indicators to track current progress and future ambition of the Paris Agreement. *Nature Clim. Change*, 7, 118-122.
- Planning Commission Government of India (2011) Low Carbon Strategies for Inclusive Growth: An Interim Report. Interim Report of the Expert Group on Low Carbon Strategies for Inclusive Growth, New Delhi, India, <http://moef.nic.in/downloads/public-information/Interim%20Report%20of%20the%20Expert%20Group.pdf>.
- Planning Commission Government of India (2014) The Final Report of the Expert Group on Low Carbon Strategies for Inclusive Growth. Interim Report of the Expert Group on Low Carbon Strategies for Inclusive Growth, New Delhi, India, http://planning-commission.nic.in/reports/genrep/rep_carbon2005.pdf.
- Republic of Korea. (2016) *Submission by the Republic of Korea: Intended Nationally Determined Contribution [Online]*. UNFCCC. Available: <http://www4.unfccc.int/ndcregistry/PublishedDocuments/Republic%20of%20Korea%20First/INDC%20Submission%20by%20the%20Republic%20of%20Korea%20on%20June%2030.pdf> [Accessed 28 July 2017].
- Republic of Turkey Ministry of Environment and Urbanization (2016) Sixth National Communication of Turkey. Ankara, Turkey.
- Reputex (2016) Framing Australia's 2030 energy & climate policy mix. The contribution of safeguard sectors to Australia's 2030 emissions reduction target. http://www.reputex.com/wp-content/uploads/2016/09/0916_RepuTex-White-Paper_Framing-Australias-energy-policy-mix-to-2030.pdf. MARKET UPDATE | September 2016
- Rhodium Group (2017) Taking Stock 2017: Adjusting Expectations for US GHG Emissions. Available at: <http://rhg.com/reports/taking-stock-2017-adjusting-expectations-for-us-ghg-emissions>.
- Rockström, J., Gaffney, O., Rogelj, J., Meinshausen, M., Nakicenovic, N. & Schellnhuber, H. J. (2017) A roadmap for rapid decarbonization. *Science*, 355, 1269.
- Sha, F., Ji, Z. & Linwei, L. (2015) An Analysis of China's INDC. Beijing, China: China National Center for Climate Change Strategy and International Cooperation.
- Sha, F., Ji, Z. & Linwei, L. (2017) An Analysis of China's INDC (Updated analysis 2017) (MILES report). Beijing, China: China National Center for Climate Change Strategy and International Cooperation.
- South Africa. Department of Environmental Affairs (2011) Explanatory note: Defining South Africa's Peak, Plateau and Decline Greenhouse Gas Emission Trajectory. Government of Republic of South Africa.: <http://www.climateaction.org.za/cop17-cmp7/sa-government-position-on-climate-change>.
- The Law National Information Center. (2016) *Presidential Decree 27180 of 24 May, 2016 (enforced 1 June, 2016); partial amendment of the Enforcement Decree of the Framework Act on Low Carbon, Green Growth*. The Law National Information Center, Korea [Online]. Ministry of Government Legislation. Available: <http://www.law.go.kr/lsInfoP.do?lsiSeq=183314&efYd=20160601#AJAX> [Accessed 16 October 2016].
- U.S. Department of State (2016) 2016 second biennial report of the United States of America, under the United Nations Framework Convention on Climate Change. US Department of State, Washington, DC, https://unfccc.int/files/national_reports/biennial_reports_and_iar/submitted_reports/application/pdf/2016_second_biennial_report_of_the_united_states.pdf.
- UNEP (2016) *The Emissions Gap Report 2016: A UNEP Synthesis Report [Online]*. United Nations Environment Programme (UNEP), Nairobi. Available: <http://www.unep.org/emissionsgapreport2016/> [Accessed 20 October 2017].
- UNEP (2015) *The Emissions Gap Report 2015: A UNEP Synthesis Report [Online]*. United Nations Environment Programme (UNEP), Nairobi. Available: <http://www.unep.org/emissionsgapreport2015/> [Accessed].
- UNFCCC (2011) Compilation of information on nationally appropriate mitigation actions to be implemented by Parties not included in Annex I to the Convention. FCCC/AWGLCA/2011/INF.1, <http://unfccc.int/resource/docs/2011/awglca14/eng/inf01.pdf>
- WRI (2016) *CAIT Indonesia Climate Data Explorer - PINDAI [Online]*. Available: <http://cait.wri.org/indonesia?lng=en> [Accessed 31 October 2016].
- WRI CAIT (2017) Climate Analysis Indicators Tool: WRI's Climate Data Explorer. Washington DC, USA: World Resource Institute.

Chapter 3

- Aldy, J. E., Pizer, W. A. & Akimoto, K. (2016) Comparing emissions mitigation efforts across countries. *Climate Policy*, 1-15.
- Andonova, L. B., Hale, T. N. & Roger, C. B. (2017) National Policy and Transnational Governance of Climate Change: Substitutes or Complements? *International Studies Quarterly*, 61, 253-268.
- Australian Government (2016) Australia's emissions projections 2016. <http://www.environment.gov.au/system/files/resources/9437fe27-64f4-4d16-b3f1-4e03c2f7b0d7/files/aust-emissions-projections-2016.pdf>: Department of the Environment and Energy, Australia.
- CAT (2017) Climate Action Tracker. Available at: <http://climateactiontracker.org/> [Accessed 7 August 2017].
- CDP and We Mean Business (2016) The Business End of Climate Change. Available at: <https://newclimateinstitute.files.wordpress.com/2016/06/business-end-of-climate-change.pdf>.
- CEC (2017) *Power Generation Industry Information, CEC (China Electricity Council), Beijing [Online]*. [Accessed 08/10/2017].
- Central Electricity Authority (2016) *Draft National Electricity Plan, Central Electricity Authority (CEA), Ministry of Power, Government of India*, http://www.cea.nic.in/reports/committee/nep/nep_dec.pdf
- Chai, Q., Fu, S., XU, H., Li, W. & Zhong, Y. (2017) The gap report of global climate change mitigation, finance, and governance after the United States declared its withdrawal from the Paris Agreement. *Chinese Journal of Population Resources and Environment*, 1-13.
- Chan, S., Falkner, R., Goldberg, M. & Van Asselt, H. (2016) Effective and geographically balanced? An output-based assessment of non-state climate actions. *Climate Policy*, 1-12.
- Cheong Wa Dae (2017) Opening remarks by the President Moon Jae-In at the 2nd Annual Meeting of the AIIB Board of Governors, 16 June, 2017, Jeju, the Republic of Korea. Cheong Wa Dae (the President's Office of the Republic of Korea). http://men.president.go.kr/activity/speeches.php?srh%5Bview_mode%5D=detail&srh%5Bseq%5D=429&srh%5Bdetail_no%5D=4 (accessed 18 July, 2017).

- China Statistic Year Book (2017) China Statistic Year Book 2017, China Statistic Publishing House, Beijing, available at: <http://www.stats.gov.cn/tjsj/nds/j/2016/indexeh.htm>.
- Clarke, L., Jiang, K., Akimoto, K., Babiker, M., Blanford, G., Fisher-Vanden, K., Hourcade, J.-C., Krey, V., Kriegler, E., Löschel, A., Mccollum, D., Paltsev, S., Rose, S., Shukla, P. R., Tavoni, M., Zwaan, B. V. D. & Vuuren, D. V. (2014) Assessing Transformation Pathways. In: *Edenhofer, O., Pichs-Madruga, R., Sokona, Y., Farahani, E., Kadner, S., Seyboth, K., Adler, A., Baum, I., Brunner, S., Eickemeier, P., Kriemann, B., Savolainen, J., Schlömer, S., Stechow, C. V., Zwickel, T. & Minx, J. C. (eds.) Climate Change 2014: Mitigation of Climate Change. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press.*
- Climate Action Tracker (2017a) *Action by China and India slows emissions growth, President Trump's policies likely to cause US emissions to flatten. Policy Brief Climate Analytics, Ecofys and NewClimate institute, Available at: http://climateactiontracker.org/assets/publications/briefing_papers/CAT_2017-05-15_Briefing_India-China-USA.pdf [Accessed 7 August 2017].*
- Climate Action Tracker (2017b) Country assessment: Argentina (updated 17 May, 2017). Climate Action Tracker (Climate Analytics, Ecofys, NewClimate Institute). <http://climateactiontracker.org/countries/argentina.html> (Accessed 27 August, 2017).
- Climate Action Tracker (2017c) Country assessment: Mexico (updated 6 July, 2017). Climate Action Tracker (Climate Analytics, Ecofys, NewClimate Institute). <http://climateactiontracker.org/countries/mexico.html> [Accessed 30 August, 2017].
- Climate Action Tracker (2017d) Country assessment: Russian Federation (updated 11 May, 2017). Climate Action Tracker (Climate Analytics, Ecofys, NewClimate Institute). <http://climateactiontracker.org/countries/russianfederation.html> (accessed on 27 August, 2017).
- Climate Action Tracker (2017e) Country assessment: Saudi Arabia (updated 10 May, 2017). Climate Action Tracker (Climate Analytics, Ecofys, NewClimate Institute). <http://climateactiontracker.org/countries/saudi-arabia.html> (Accessed 27 August, 2017).
- Climate Action Tracker (2017f) Country assessment: South Africa (updated 6 July, 2017). Climate Action Tracker (Climate Analytics, Ecofys, NewClimate Institute). <http://climateactiontracker.org/countries/south-africa.html> (accessed on 27 August, 2017).
- Climate Action Tracker (2017g) Country assessment: Turkey (updated 17 May, 2017). Climate Action Tracker (Climate Analytics, Ecofys, NewClimate Institute). <http://climateactiontracker.org/countries/turkey.html> (Accessed 27 August, 2017).
- Climate Action Tracker (2017h) <http://climateactiontracker.org/>.
- Climate Advisers (2017) Trumpbacktracker. <https://www.climateadvisers.com/trumpbacktracker/>.
- Climate Transparency (2017) Brown to Green: The G20 transition to a low-carbon economy. Climate Transparency, c/o Humboldt-Viadrina Governance Platform, Berlin, Germany, www.climate-transparency.org.
- Climate Interactive (2017) Climate Scoreboard. US: Climate Interactive.
- Climateinteractive (2017) What Slashing Climate Rules Means For the U.S. Pledge to Paris, Available at: <https://www.climateinteractive.org/media-coverage/what-slashing-climate-rules-means-for-the-u-s-pledge-to-paris/>
- Compact Of Mayors (2015) Climate Leadership at the Local Level: Global Impact of the Compact of Mayors. Available at: https://data.bloomberglp.com/mayors/sites/14/2016/01/BR_AggregationReport_Final_SinglePages-FINAL-2016.pdf.
- Damassa, T., Fransen, T., Haya, B., Ge, M., Pjeczka, K. & Ross, K. (2015) Interpreting INDCs: Assessing transparency of post-2020 greenhouse gas emissions targets for 8 top-emitting economies. Working Paper. Washington, DC: World Resources Institute. Available online at <http://www.wri.org/publication/interpreting-indcs>.
- Den Elzen, M., Admiraal, A., Roelfsema, M., Van Soest, H., Hof, A. F. & Forsell, N. (2016a) Contribution of the G20 economies to the global impact of the Paris agreement climate proposals. *Climatic Change*, 137, 655-665.
- Den Elzen, M. G. J., Fekete, H., Höhne, N., Admiraal, A., Forsell, N., Hof, A. F., Olivier, J. G. J., Roelfsema, M. & Van Soest, H. (2016b) Greenhouse gas emissions from current and enhanced policies of China until 2030: Can emissions peak before 2030? *Energy Policy*, 89, 224-236.
- EEA (2016) Trends and projections in Europe (2016 - Tracking progress towards Europe's climate and energy targets. European Environment Agency, EEA Report No 29/2016, <https://www.eea.europa.eu/publications/trends-and-projections-in-europe>.
- Environment And Climate Change Canada (2017) Canadian Environmental Sustainability Indicators: Progress Towards Canada's Greenhouse Gas Emissions Reduction Target. https://www.ec.gc.ca/indicateurs-indicators/CCED3397-174A-4F0E-8258-91DCFE295B34/ProgressTowardsCanadaGHGEmissionsTarget_EN.pdf.
- Forsell, N., Turkovska, O., Gusti, M., Obersteiner, M., Elzen, M. D. & Havlik, P. (2016) Assessing the INDCs' land use, land use change, and forest emission projections. *Carbon Balance and Management*, 11, 26.
- Fricko, O., Havlik, P., Rogelj, J., Klimont, Z., Gusti, M., Johnson, N., Kolp, P., Strubegger, M., Valin, H., Amann, M., Ermolieva, T., Forsell, N., Herrero, M., Heyes, C., Kindermann, G., Krey, V., Mccollum, D. L., Obersteiner, M., Pachauri, S., Rao, S., Schmid, E., Schoepp, W. & Riahi, K. (2017) The marker quantification of the Shared Socioeconomic Pathway 2: A middle-of-the-road scenario for the 21st century. *Global Environmental Change*, 42, 251-267.
- Fuglestad, J. S., Shine, K. P., Berntsen, T., Cook, J., Lee, D. S., Stenke, A., Skeie, R. B., Velders, G. J. M. & Waitz, I. A. (2010) Transport impacts on atmosphere and climate: Metrics. *Atmospheric Environment*, 44, 4648-4677.
- Government of Argentina (2016) Primera Revisión de su Contribución Determinada a Nivel Nacional, <http://www4.unfccc.int/ndcregistry/PublishedDocuments/Argentina%20First/17112016%20NDC%20Revisada%202016.pdf>.
- Government of Russia. (2014) *First Biennial Report of the Russian Federation [Online]. UNFCCC, Bonn, available at: http://unfccc.int/files/national_reports/biennial_reports_and_iar/submitted_biennial_reports/application/pdf/1br_rus_unofficial_translation_eng.pdf [Accessed 12 December 2014].*
- Graichen, J., Healy, S., Siemons, A., Höhne, N., Kuramochi, T., Gonzales Zuñiga, S., Sterl, S., Kersting, J. & Wachsmuth, J. (2017) International Climate Initiatives – A way forward to close the emissions gap? Initiatives' potential and role under the Paris Agreement. Berlin: Öko-Institut. Retrieved from https://www.umweltbundesamt.de/sites/default/files/medien/376/publikationen/climate_change_22_2017.pdf.
- Graichen, J., Healy, S., Siemons, A., Höhne, N., Kuramochi, T., Gonzales Zuñiga, S. & Wachsmuth, J. (2016) Climate initiatives, national contributions, and the Paris Agreement. Berlin: Öko-Institut. Retrieved from <http://www.oeko.de/oekodoc/2554/2016-079-de.pdf>.
- Grassi, G., House, J., Dentener, F., Federici, S., Den Elzen, M. & Penman, J. (2017) The key role of forests in meeting climate targets requires science for credible mitigation. *Nature Clim. Change*, 7, 220-226.

- Green, F. and Stern, N. (2017) China's changing economy: implications for its carbon dioxide emissions. *Climate Policy*, 17, 423-442.
- Gütschow, J., Jeffery, L., Gieseke, R. & Gebel, R. (2017) The PRIMAP-hist national historical emissions time series (1850-2014). V. 1.1. GFZ Data Services. <http://doi.org/10.5880/PIK.2017.001>.
- Hafstead, M. (2017) On Trump, Paris, and Greenhouse Gas Emissions. Retrieved August 7, 2017, from Resources for the Future: <http://www.rff.org/blog/2017/trump-paris-and-greenhouse-gas-emissions>.
- Höglund-Isaksson, L., Purohit, P., Amann, M., Bertok, I., Rafaj, P., Schöpp, W. & Borken-Kleefeld, J. (2017) Cost estimates of the Kigali Amendment to phase-down hydrofluorocarbons. *Environmental Science and Policy*, 75, 138-147.
- Höhne, N., Fekete, H., Den Elzen, M. G. J., Hof, A. F. & Kuramochi, T. (2017) Assessing the ambition of post-2020 climate targets: a comprehensive framework. *Climate Policy*, 1-16.
- IEA (2016) *World Energy Outlook 2016, Paris, France, International Energy Agency*.
- IPCC (2014a) *Climate Change 2014: Synthesis Report. Contribution of Working Groups I, II and III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. In: CORE WRITING TEAM, PACHAURI, R. K. & MEYER, L. A. (eds.). Geneva, Switzerland: IPCC.
- IPCC (2014b) *Summary for Policymakers*. In: Edenhofer, O., Pichs-Madruga, R., Sokona, Y., Farahani, E., Kadner, S., Seyboth, K., Adler, A., Baum, I., Brunner, S., Eickemeier, P., Kriemann, B., Savolainen, J., Schlömer, S., Stechow, C. V., Zwickel, T. & Minx, J. C. (eds.) *Climate Change 2014: Mitigation of Climate Change. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge, United Kingdom, and New York, NY, USA: Cambridge University Press.
- Jiang, K.-J., Tamura, K. & Hanaoka, T. (2017) Can we go beyond INDCs: Analysis of a future mitigation possibility in China, Japan, EU and the U.S. *Advances in Climate Change Research*, 8, 117-122.
- Kitous, A., Keramidas, K., Vandyck, T. & Saveyn, B. (2016) GECO₂016. Global Energy and Climate Outlook. Road to Paris. download at: <http://ec.europa.eu/jrc/en/geco>: Joint Research Centre.
- Kitous, A., Keramidas, K., Vandyck, T., Saveyn, B., Van Dingenen, R., Spadaro, J. & Holland, M. (2017) Global Energy and Climate Outlook 2017: How climate policies improve air quality. EUR 28798 EN, Publications Office of the European Union, Luxembourg, 2017, ISBN 978-92-79-73864-7, doi:10.2760/474356, JRC107944: Joint Research Centre.
- Kuramochi, T., Höhne, N., Sterl, S., Gonzales-Zuñiga, S., Hans, F., Hagemann, M., Hernandez Legaria, E., Den Elzen, M. G. J., Roelfsema, M., Van Soest, H., Forsell, N. & Turkovska, O. (2016) Greenhouse gas mitigation scenarios for major emitting countries: Analysis of current and planned climate policies, and mitigation pledges. Cologne, Germany: NewClimate Institute, PBL, IIASA, <http://www.pbl.nl/en/publications/greenhouse-gas-mitigation-scenarios-for-major-emitting-countries>.
- Kuramochi, T., Höhne, N., Sterl, S., Lütkehermöller, K. & Seghers, J.-C. (2017) States, cities and businesses leading the way: a first look at decentralized climate commitments in the US. NewClimate Institute, the Climate group.
- Le Quéré, C., Moriarty, R., Andrew, R. M., Canadell, J. G., Sitch, S., Korsbakken, J. I., Friedlingstein, P., Peters, G. P., Andres, R. J., Boden, T. A., Houghton, R. A., House, J. I., Keeling, R. F., Tans, P., Arneeth, A., Bakker, D. C. E., Barbero, L., Bopp, L., Chang, J., Chevallier, F., Chini, L. P., Ciais, P., Fader, M., Feely, R. A., Gkritzalis, T., Harris, I., Hauck, J., Ilyina, T., Jain, A. K., Kato, E., Kitidis, V., Klein Goldewijk, K., Koven, C., Landschützer, P., Lauvset, S. K., Lefèvre, N., Lenton, A., Lima, I. D., Metz, N., Millero, F., Munro, D. R., Murata, A., Nabel, J. E. M. S., Nakaoka, S., Nojiri, Y., O'Brien, K., Olsen, A., Ono, T., Pérez, F. F., Pfeil, B., Pierrot, D., Poulter, B., Rehder, G., Rödenbeck, C., Saito, S., Schuster, U., Schwinger, J., Séférian, R., Steinhoff, T., Stocker, B. D., Sutton, A. J., Takahashi, T., Tilbrook, B., Van Der Laan-Luijkx, I. T., Van Der Werf, G. R., Van Heuven, S., Vandemark, D., Viovy, N., Wiltshire, A., Zaehle, S. & Zeng, N. (2015) Global Carbon Budget 2015. *Earth Syst. Sci. Data*, 7, 349-396.
- Lee, D. S., Fahey, D. W., Forster, P. M., Newton, P. J., Wit, R. C. N., Lim, L. L., Owen, B. & Sausen, R. (2009.) Aviation and global climate change in the 21st century. *Atmospheric Environment*, 43, 3520-3537.
- Lee, D. S., Pitari, G., Grewe, V., Gierens, K., Penner, J. E., Petzold, A., Prather, M. J., Schumann, U., Bais, A., Bernsten, T., Iachetti, D., Lim, L. L. & Sausen, R. (2010) Transport impacts on atmosphere and climate: Aviation. *Atmospheric Environment*, 44, 4678-4734.
- Luderer, G., Kriegler, E., Delsa, L., Edelenbosch, O., Emmerling, J., Krey, V., Mccollum, D., Pachauri, S., Riahi, K., Saveyn, B., Tavoni, M., Vrontisi, Z., Van Vuuren, D., Arent, D., Arvesen, A., Fujimori, S., Iyer, G., Keppo, I., Kermeli, K., Mima, S., Ó, Broin, E., Pietzcker, R., Sano, F., Scholz, Y., Van Ruijven, B. & Wilson, C. (2016) Deep Decarbonisation Towards 1.5°C - 2°C Stabilisation - Policy findings from the ADVANCE project (first edition). ADVANCE, <http://www.fp7-advance.eu/content/advance-key-findings>.
- Luderer, G., Pietzcker, R. C., Bertram, C., Kriegler, E., Meinshausen, M. & Edenhofer, O. (2013) Economic mitigation challenges: how further delay closes the door for achieving climate targets. *Environmental Research Letters*, 8, 034033.
- Michaelowa, K. and Michaelowa, A. (2017) Transnational Climate Governance Initiatives: Designed for Effective Climate Change Mitigation? *International Interactions*, 43, 129-155.
- Millar, R. J., Fuglestedt, J. S., Friedlingstein, P., Rogelj, J., Grubb, M. J., Matthews, H. D., Skeie, R. B., Forster, P. M., Frame, D. J. & Allen, M. R. (2017) Emission budgets and pathways consistent with limiting warming to 1.5°C. *Nature Geosci*, 10, 741-747.
- Ministry of Science And Technology Of Brazil (2016) Third National Communication of Brazil to the United Nations Framework Convention on Climate Change.
- Mitra, A., Chitkara, P., Ross, K., Singh, M., Sawhney, S., Keswani, S. & Batra, P. (2017) Pathways for Meeting India's Climate Goals. Washington DC, USA: World Resource Institute.
- Motie-Moe-Molit (2017) Joint press release by Ministry of Trade, Industry, and Energy (MOTIE), Ministry of Environment (MOE), and Ministry of Land, Infrastructure, and Transport (MOLIT) on the occasion of joint report to the President.
- Nordhaus, W. D. (2017) Revisiting the social cost of carbon. *Proceedings of the National Academy of Sciences*, 114, 1518-1523.
- PBL (2017) PBL Climate Pledge NDC tool, www.pbl.nl/indc. PBL Netherlands Environmental Assessment Agency.
- REN21 (2017) *Renewables 2017: Global Status Report*, available at: <http://www.ren21.net/gsr-2017/> [Online]. Available: <http://www.ren21.net/gsr-2017/> [Accessed 08/10/2017].
- Reputex (2016) Framing Australia's 2030 energy and climate policy mix. The contribution of safeguard sectors to Australia's 2030 emissions reduction target. http://www.reputex.com/wp-content/uploads/2016/09/0916_RepuTex-White-Paper-Framing-Australia-energy-policy-mix-to-2030.pdf: MARKET UPDATE | September 2016
- Rhodium GROUP (2017a) Taking Stock 2017: Adjusting Expectations for US GHG Emissions. Available at: <http://rhg.com/reports/taking-stock-2017-adjusting-expectations-for-us-ghg-emissions>.

- Rhodium GROUP (2017b) Trump's Regulatory Rollback Begins, Available at: <http://rhg.com/notes/trumps-regulatory-rollback-begins>.
- Riahi, K., Van Vuuren, D. P., Kriegler, E., Edmonds, J., O'Neill, B. C., Fujimori, S., Bauer, N., Calvin, K., Dellink, R., Fricko, O., Lutz, W., POPP, A., Cuaresma, J. C., KC, S., Leimbach, M., Jiang, L., Kram, T., Rao, S., Emmerling, J., Ebi, K., Hasegawa, T., Havlik, P., Humpenöder, F., Da Silva, L. A., Smith, S., Stehfest, E., Bosetti, V., Eom, J., Gernaat, D., Masui, T., Rogelj, J., Strefler, J., Drouet, L., Krey, V., Luderer, G., Harmsen, M., Takahashi, K., Baumstark, L., Doelman, J. C., Kainuma, M., Klimont, Z., Marangoni, G., Lotze-Campen, H., Obersteiner, M., Tabeau, A. & Tavoni, M. (2017) The Shared Socioeconomic Pathways and their energy, land use, and greenhouse gas emissions implications: An overview. *Global Environmental Change*, 42, 153-168.
- Rogelj, J., Den Elzen, M., Höhne, N., Fransen, T., Fekete, H., Winkler, H., Schaeffer, R., SHA, F., RIAHI, K. & MEINSHAUSEN, M. (2016) Paris Agreement climate proposals need a boost to keep warming well below 2°C. *Nature*, 534, 631-639.
- Rogelj, J., Fricko, O., Meinshausen, M., Krey, V., J. Z. & Riahi, K. (2017a) Understanding the origin of Paris Agreement emission uncertainties *Nature Communications* 8,15748 doi: 10.1038/ncomms15748.
- Rogelj, J., Hare, W., Chen, C. & Meinshausen, M. (2011) Discrepancies in historical emissions point to a wider 2020 gap between 2°C benchmarks and aggregated national mitigation pledges. *Environmental Research Letters*.
- Rogelj, J., Luderer, G., Pietzcker, R. C., Kriegler, E., Schaeffer, M., Krey, V. & Riahi, K. (2015) Energy system transformations for limiting end-of-century warming to below 1.5°C. *Nature Climate Change*, 5, 519-527.
- Rogelj, J., Mccollum, D. L., O'Neill, B. C. & Riahi, K. (2013a) 2020 emissions levels required to limit warming to below 2°C. *Nature Clim. Change*, 3, 405-412.
- Rogelj, J., Mccollum, D. L., Reisinger, A., Meinshausen, M. & Riahi, K. (2013b) Probabilistic cost estimates for climate change mitigation. *Nature*, 493, 79-83.
- Rogelj, J., Popp, A., Calvin, K. V., Luderer, G., Emmerling, J., Gernaat, D., Fujimori, S., Strefler, J., Hasegawa, T., Marangoni, G., Krey, V., Kriegler, E., Riahi, K., Van Vuuren, D. P., Doelman, J., Drouet, L., Edmonds, J., Fricko, O., Harmsen, M., Havlik, P., Humpenöder, F., Stehfest, E. & Tavoni, M. (2017b) Transition pathways towards limiting climate change below 1.5°C. *Nature Climate Change (under review)*, http://unfccc.int/files/adaptation/application/pdf/2.9_iiasa_rogelj.pdf.
- Schneider, L., Day, T., LA Hoz, S. & Warnecke, C. (2017) Discussion Paper: CDM Supply Potential up to 2020. NewClimate Institute, the Climate group.
- SEEG (2017) *The System Study Greenhouse Gas Emissions Estimates (SEEG)*. [Online]. Available: <http://seeg.eco.br/en/> [Accessed 21 July 2017].
- Sha, F., Ji, Z. and Linwei, L. (2015) An Analysis of China's INDC. Beijing, China: China National Center for Climate Change Strategy and International Cooperation.
- Sha, F., Ji, Z. and Linwei, L. (2017) An Analysis of China's INDC (Updated analysis 2017) (MILES report). Beijing, China: China National Center for Climate Change Strategy and International Cooperation.
- State Council (2013) *Air Pollution Prevention Action Plan [Online]*. Accessed: 26 October 2017
- The Climate Group (2016) Compact of States and Regions - Disclosure report: How leading states, provinces and regions are responding to the Paris Agreement 2016 Edition. Available at: <https://www.theclimategroup.org/sites/default/files/compact-of-states-and-regions-disclosure-report-2015.pdf>.
- The Representative of the United States of America to the United Nations (2017) Reference: C.N.464.2017.TREATIES-XXVII.7.d (Depositary Notification). United Nations, <https://treaties.un.org/doc/Publication/CN/2017/CN.464.2017-Eng.pdf>
- UNEP (2012) *The Emissions Gap Report 2012: A UNEP Synthesis Report*. United Nations Environment Programme (UNEP), Nairobi. Available: <http://www.unep.org/emissionsgapreport2012/> [accessed 23 September 2017]
- UNEP (2015) *The Emissions Gap Report 2015: A UNEP Synthesis Report [Online]*. United Nations Environment Programme (UNEP), Nairobi. Available: <http://www.unep.org/emissionsgapreport2015/> [Accessed 23 September 2017].
- UNEP (2016) *The Emissions Gap Report 2016: A UNEP Synthesis Report [Online]*. United Nations Environment Programme (UNEP), Nairobi. Available: <http://www.unep.org/emissionsgapreport2016/> [Accessed 23 September 2017].
- UNFCCC (2015) Intended Nationally Determined Contributions (INDCs), <http://www4.unfccc.int/submissions/indc/Submission%20Pages/submissions.aspx>.
- Van Vuuren, D. P., Stehfest, E., Gernaat, D., Doelman, J., Van Den Berg, M., Harmsen, M., DE Boer, H. S., Bouwman, L., Daioglou, V., Edelenbosch, O., Girod, B., Kram, T., Lassaletta, L., Lucas, P., Van Meijl, H., Müller, C., Van Ruijven, B., Van Der Sluis, S. & Tabeau, A. (2017) Energy, land-use and greenhouse gas emissions trajectories under a green growth paradigm. *Global Environmental Change*, 42, 237-250.
- Vandyck, T., Keramidas, K., Saveyn, B., Kitous, A. & Vrontisi, Z. (2016) A global stocktake of the Paris pledges: Implications for energy systems and economy. *Global Environmental Change*, 41, 46-63.
- Vrontisi, Z., Luderer, G., Saveyn, B., Bertram, C., De Boer, H. S., Drouet, L., Fragkiadakis, K., Fricko, O., Fujimori, S., Guivarch, C., Keramidas, K., Kitous, A., Krey, V., Kriegler, E., Broin, E., Paroussos, L., Riahi, K., Tavoni, M. & Van Vuuren, D. P. (2016) Report containing an economic analysis of a set of sectoral impacts, Deliverable No. 6.4, ADVANCE, Advanced Model Development and Validation for Improved Analysis of Costs and Impacts of Mitigation Policies, http://www.fp7-advance.eu/sites/default/files/documents/WP6/D6.4_deliverable_20170619.pdf.
- Vrontisi, Z., Luderer, G., Saveyn, B., Bertram, C., De Boer, H. S., Drouet, L., Fragkiadakis, K., Fricko, O., Fujimori, S., Guivarch, C., Keramidas, K., Kitous, A., Krey, V., Kriegler, E., Broin, E., Paroussos, L., Riahi, K., Tavoni, M. & Van Vuuren, D. P. (2017) A multi-model assessment of the effectiveness of Paris pledges towards a 1.5-2°C stabilization, *Global Environmental Change* (submitted).
- Weyant, J. (2017) Some Contributions of Integrated Assessment Models of Global Climate Change. *Review of Environmental Economics and Policy*, 11, 115-137.

Chapter 4

- Afanador, A., Begemann, E., Bourgault, C., Krabbe, O. and Wouters, K. (2015) *The potential of scaling up proven low-carbon solutions*. Available at: https://media.sitra.fi/2017/02/28142516/Ecofys_2015_potential_of_scaling_up-low_carbon_solutions.pdf [Accessed 24 October 2017].

- Akbar, S., Kleiman, G., Menon, S. and Segafredo, L. (2014) *Climate-smart development : adding up the benefits of actions that help build prosperity, end poverty and combat climate change : Main report* Washington, DC : World Bank Group. Available at: <http://documents.worldbank.org/curated/en/794281468155721244/Main-report> [Accessed 24 October 2017]
- Alvik, S., Eide, M., Endresen, Ø., Hoffman, P., and Longva, T. (2010) *Pathways to Low Carbon Shipping-Abatement Potential Towards 2030*. DNV De Norske Veritas.
- Arasto, A., K. Onarheim, E., Tsupari, and Kärki, J. (2014) 'Bio-CCS: feasibility comparison of large scale carbon-negative solutions'. *Energy Procedia* 63, 6756-6769.
- Blok, K., and Gardiner, A. (2015) *Climate commitments of subnational actors and business – a quantitative assessment of their emission reduction impact*. Available at: <http://www.unep.org/ourplanet/september-2015/unep-publications/climate-commitments-subnational-actors-and-business-quantitative> [Accessed 24 October 2017]
- Bloomberg New Energy Finance. (2017) *Electric Vehicle Outlook 2017*. Available at: https://data.bloomberglp.com/bnef/sites/14/2017/07/BNEF_EVO_2017_ExecutiveSummary.pdf [Accessed 24 October 2017]
- Bonn, A., Reed, M., Evans, C., Joosten, H., Bain, C., Farmer, J., Emmer, I., Birnie, D.. (2014) Investing in nature: Developing ecosystem service markets for peatland restoration. *Ecosystem Services*, 9: 54-65.
- Breyer, C., Bogdanov, D., Gulagi, A., Aghahosseini, A., Barbosa, L.S.N.S., Koskinen, O., Barasa, M., Caldera, U., Afanasyeva, S., Child, M., Farfan, J. and Vainikka, P. (2017) On the role of solar photovoltaics in global energy transition scenarios. *Progress in photovoltaics: research and applications*. 25(8): 727-745.
- Bouman, E., Lindstad, E., Rialland, A., Stromann, A. (2017) State-of-the-art technologies, measures, and potential for reducing GHG emissions from shipping – A review. *Transportation Research Part D: Transport and Environment*. 52: 408 – 421.
- BLE (2016) *Evaluations und Erfahrungsbericht für das Jahr 2015, Biomassestrom-Nachhaltigkeitsverordnung und Biokraftstoff-Nachhaltigkeitsverordnung*. Bonn Germany: Bundesanstalt für Landwirtschaft und Ernährung.
- CAO (2014) *Advancing climate ambition: cities as partners in global climate action*. Available at http://c40-production-images.s3.amazonaws.com/researches/images/25_Advancing_Climate_Ambition.original.pdf?1412878084 [Accessed 24 October 2017]
- Chen, X., Luo, Y., Zhou, Y., and Lu, M. (2016) Carbon Sequestration Potential in Stands under the Grain for Green Program in South-west China. *PLoS ONE*, 11(3): 1-17.
- Clarke, L., Jiang, K., Akimoto, K., Babiker, M., Blanford, G., Fisher-Vanden, K., Hourcade, J.-C., Krey, V., Kriegler, E., Löschel, A., McCollum, D., Paltsev, S., Rose, S., Shukla, P.R., Tavoni, M., Van der Zwaan, B., Van Vuuren, D. (2014) *Assessing Transformation Pathways*. In: *Climate Change 2014: Mitigation of Climate Change. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge and New York: Cambridge University Press.
- CLASP (2011) *Opportunities for success and CO₂ savings from appliance energy efficiency harmonisation*. Available at <http://clasp.ngo/Resources/PublicationLibrary/2011/Opportunities-for-appliance-EE-harmonization#file> [Accessed 24 October 2017]
- Climate Action Tracker (2016) *10 Steps: the ten most important short-term steps to limit warming to 1.5°C*. Available at http://climateactiontracker.org/assets/publications/publications/CAT_10_Steps_for_1o5.pdf [Accessed 24 October 2017]
- Creutzig, F., Agoston, P., Goldschmidt, J., Luderer, G., Nemet, G., and Pietzcker, R. (2017) The underestimated potential of solar energy to mitigate climate change. *Nature Energy* (2) doi:10.1038/nenergy.2017.140
- Deng, Y., Blok, K., and Leun, K. (2012) Transition to a fully sustainable global energy system. *Energy Strategy Reviews*, 1(2): 1-13.
- Dimassi, B., Mary, B., Wylleman, R., Labreuche, J., Couture, D., Piraux, F., and Cohan, J. (2014) Long-term effect of contrasted tillage and crop management on soil carbon dynamics during 41 years. *Agriculture, Ecosystems and Environment*, 136-146.
- Ecofys (2017) A role for rapeseed biodiesel in greening EU transport. Utrecht: Ecofys (forthcoming).
- Eide, M., Longva, T., Hoffmann, P., Endresen, Ø., and Dalsøren, S. (2011) Future cost scenarios for reduction of ship CO₂ emissions. *Maritime Policy and Management*, 11-37.
- Faber, J., Wang, H., Nelissen, D., Russell, B., and Amand, D. (2011) *Marginal abatement costs and cost effectiveness of energy-efficiency measures*. Institute of Marine Engineering, Science and Technology.
- Fischedick. (2014) *Industry*. New York: Cambridge University Press.
- GBPN (2013) *What is a deep renovation definition?* Available at http://www.gbpn.org/sites/default/files/08.DR_TechRep.low_.pdf [Accessed 24 October 2017]
- GCEM (2015) *Raising Ambition to Reduce International Aviation and Maritime Emissions. Contributing paper for Seizing the Global Opportunity: Partnerships for Better Growth and a Better Climate*. New Climate Economy, London and Washington, DC. Available at: <http://newclimateeconomy.report/misc/working-papers>. [Accessed 24 October 2017]
- GCEM (2015) *New Climate Economy Technical Note: Abatement Reduction Potential*. Available at: http://newclimateeconomy.report/workingpapers/wp-content/uploads/sites/5/2016/04/NCE-technical-note-emission-reduction-potential_final.pdf [Accessed 24 October 2017]
- GWEC (2016) *Global Wind Report 2016*. Available at <http://gwec.net/publications/global-wind-report-2/global-wind-report-2016/> [Accessed 24 October 2017]
- Hawken, P. (2017) *Drawdown: The Most Comprehensive Plan Ever Proposed to Reverse Global Warming*. New York: Penguin Random House LLC.
- Herzog, H., Smekens K., Dadhich, P., Dooley, J., Fujii, Y., Hohmeyer, O., and Riahi K. (2005) *Costs and Economic Potential, in: IPCC Special Report on Carbon Dioxide Capture and Storage*. Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press.
- Hoffmann, P., Eide, M., and Endresen, Ø. (2012) Effect of proposed CO₂ emission reduction scenarios on capital expenditure. *Maritime Policy and Management*, 443-460.
- ICAO (2013) *Environmental Report 2013*. Available at <http://cfapp.icao.int/Environmental-Report-2013/files/assets/basic-html/index.html#1> [Accessed 24 October 2017].
- ICTT (2012) *Global Transportation Energy and Climate Roadmap*. Available at: <http://www.theicct.org/publications/global-transportation-energy-and-climate-roadmap> [Accessed 24 October 2017].

- ICCT (2017) *Technology uptake, costs, and benefits under a next-phase passenger car efficiency program in Brazil*. Available at: <http://www.theicct.org/publications/technology-uptake-costs-and-benefits-under-next-phase-passenger-car-efficiency-program> [Accessed 24 October 2017].
- IEA (2016) *World Energy Outlook 2016*. Paris: International Energy Agency.
- IEA (2017) *Energy Technology Perspectives 2017*. Paris: International Energy Agency.
- IPCC. (2001) *Climate Change 2001: Synthesis Report. A Contribution of Working Groups I, II, and III to the Third Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge and New York: Cambridge University Press.
- IPCC (2007) *Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. Geneva: IPCC.
- IPCC (2014) *Climate Change 2014: Mitigation of Climate Change*. Geneva: IPCC.
- IRENA (2016) *Roadmap for a Renewable Energy Future*. Bonn: IRENA Innovation and Technology Centre.
- IRENA (2017) 'Renewable Energy Auctions: Analysing 2016'. IRENA, Abu Dhabi. Available at http://www.irena.org/DocumentDownloads/Publications/IRENA_REAuctions_summary_2017.pdf
- Johnson, N., Parker, N., and J.Ogden. (2014) How negative can biofuels with CCS take us and at what cost? . *Energy Procedia* 63: 6770 – 6791.
- Joosten, H., Tapio-Biström, M.-L., and Tol, S. (2012) *Peatlands - guidance for climate change mitigation through conservation, rehabilitation and sustainable use*. Available at: <http://www.fao.org/3/a-an762e.pdf> [Accessed 24 October 2017].
- Kim, K., and Zsuffa, L. (1994) Reforestation of South Korea: The history and analysis of a unique case in forest tree improvement and forestry. *The Forestry Chronicle*, 58-64.
- Klimont, Z., and Höglund-Isaksson, L. (2017) *Personal communication*. IIASA.
- Lazard (2016) *Levelized Cost of Energy Analysis 10.0*. Available at: <https://www.lazard.com/media/438038/levelized-cost-of-energy-v100.pdf> [Accessed 24 October 2017].
- Lundqvist, J. (2009) Losses and waste in the global crisis. *Rev. Environ. Sci. Biotechnol.*, 121-123
- Mac Dowell N, and Fajardy, M. (2017) Inefficient power generation as an optimal route to negative emissions via BECCS? *Environmental Research Letters* 12 (4): 1-11.
- McGlashan, N., Workman, M., Caldecott, B., and Shah, N. (2012) Negative Emissions Technologies. *Grantham Institute for Climate Change Briefing paper No 8*.
- Messinger, J. and DeWitt, S. (2015) *Bonn Challenge on track to meet land restoration goal by 2020*. Available at: <http://www.wri.org/blog/2015/03/bonn-challenge-track-meet-land-restoration-goal-2020-0> [Accessed 24 October 2017]
- Molenbroek, E., Smith, M., Surmeli, N., Schimschär, S., Waide, P., Tait, J., and McAllister, C. (2015) *Savings and benefits of global regulations for energy efficient products*. Brussels, Belgium: European Commission.
- Nelleman, C., MacDevette, M., Manders, T., Eickhout, B., Svihus, B., and Prins, A. (2009) The environmental Food Crisis – *The Environment's Role in Averting Future Food Crises. A UNEP Rapid Response Assessment*. Arendal, Norway: United Nations Environmental Programme, GRID.
- Nelson, G., Rosegrant, M., Palazzo, A., Gray, I., Ingersoll, C., Robertson, R., Tokzog S., Zhu T., Sulser T.B., Ringer, C., Mgansi, S. and You, L. (2010) *Food Security, Farming, and Climate Change to 2050: Scenarios, Results, Policy Options*. Washington, DC: International Food Policy Research Institute.
- Papaefthymiou, G., Grave, K., and Dragoon, K. (2014) *Flexibility options in electricity systems*. Available at: <https://www.ecofys.com/files/files/ecofys-eci-2014-flexibility-options-in-electricity-systems.pdf> [Accessed 24 October 2017]
- Purohit, P., and Höglund-Isaksson, L. (2017) Global emissions of fluorinated greenhouse gases 2005–2050 with abatement potentials and costs. *Atmos. Chem. Phys.*, 17, 2795–2816. doi:10.5194/acp-17-2795-2017
- REN21 (2017) *Global Status Report*. Available at <http://www.ren21.net/status-of-renewables/global-status-report/> [Accessed 24 October 2017]
- Renforth, P., Washbourne, C.-L., Taylder, J., and Manning, D.A.C. (2012) Silicate Production and Availability for Mineral Carbonation. *Environmental Science and Technology*, 45 (6), 2035–2041
- Saygin, D., E. Worrell, M.K. Patel, D.J. Gielen. (2011) Benchmarking the energy use of energy-intensive industries in industrialized and in developing countries. *Energy* (36): 6661 – 6673.
- SITRA (2015) *Green to Scale*. Available at <https://media.sitra.fi/2017/02/28142523/Selvityksia105.pdf> [Accessed 24 October 2017].
- Smith (2016) Soil carbon sequestration and biochar as negative emission technologies. *Global Change Biology*, 1315-1324.
- Smith, P., Martino, D., Cai, Z., Gwary, D., Janzen, H., Pushpam, K., McCarl, B., Ogle, S., O'Mara, F., Rice, C., Scholes, B., Sirotenko, O. (2008) Greenhouse gas mitigation in agriculture. *Phil. Trans. R. Soc. B*, 789-813.
- Smith, P. Smith, P., Martino, D., Cai, Z., Gwary, D., Janzen, H., Pushpam, K., McCarl, B., Ogle, S., O'Mara, Frank, Rice, Charles, Scholes, Bob, Sirotenko, Oleg, (2007) *Agriculture. In Climate Change 2007: Mitigation. Contribution of Working Group III to the Fourth Assessment Report of the*, Cambridge: Cambridge University Press.
- Smith, P., M. Bustamante, H.Ahammad, H. Clark, H. Dong, E. Elsiddig, H. Haberl, R. Harper, J. House,, M. Jafari, O. Masera, C. Mbow, N. Ravindranath, C. Rice, C. Robledo, A. Romanovskaya, F. Sperling, F. Tubiello. (2014) *Agriculture, Forestry and Other Land Use (AFOLU) In: Climate Change 2014: Mitigation of Climate Change. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge and New York: Cambridge University Press.
- Stehfest, E., Van den Berg, M., Woltjer, G., and Westhoek, G. (2013) Options to reduce the environmental effects of livestock production – Comparison of two economic models. *Agricultural Systems*, 38-53.
- Teske, S., Sawyer, S., Schäter, O., Pregger, T., Simon, S., and Naegler, T. (2015) *Energy [R]evolution a Sustainable World Energy Outlook 2015*. Hamburg: Greenpeace International.
- UNEP (2011) *Bridging the Emission Gap*. Nairobi: United Nations Environment Programme. Available at: https://www.ecofys.com/files/files/unep_bridging%20the%20emissions%20gap.pdf [Accessed 24 October 2017]
- UNEP (2012) *The Emissions Gap Report 2012*. Nairobi: United Nations Environment Programme (UNEP). <http://apps.unep.org/reportemissionGapReport2012.pdf> [Accessed 24 October 2017]

- UNEP (2013) *The Emissions Gap Report 2013*. Nairobi: United Nations Environment Programme (UNEP). Available at: http://www.unep.org/sites/default/files/EGR2013/EmissionsGapReport_2013_high-res.pdf [Accessed 24 October 2017]
- UNEP (2014) *The Emissions Gap Report 2014*. Nairobi: United Nations Environment Programme (UNEP). Available at: http://wedocs.unep.org/bitstream/handle/20.500.11822/9345/-The%20Emissions%20Gap%20Report%202014%3a%20a%20UNEP%20synthesis%20report-November%202014EGR_2014_Lowres.pdf?sequence=3&isAllowed=y [Accessed 24 October 2017]
- UNEP (2014) *Green paper Policy Options to Accelerate the Global Transition to Advanced Lighting*. Nairobi: United Nations Environment Programme (UNEP).
- UNEP (2016) *Emission Gap Report 2016*. Nairobi: United Nations Environment Programme (UNEP). Available at: https://www.google.dk/url?sa=t&rct=j&q=&esrc=s&source=web&cd=2&cad=rja&uact=8&ved=0ahUKEwignN39p4vXAhXpDZoKHdh9BgUQFggwMAE&url=http%3A%2F%2Fwedocs.unep.org%2Fbitstream%2Fhandle%2F20.500.11822%2F10016%2Femission_gap_report_2016.pdf&usq=AOvVaw3gBleyjAH07zqiljLQw9N2 [Accessed 24 October 2017].
- UNEP (2017) *Accelerating the global adoption of energy-efficient lighting*. Available at: http://www.enlighten-initiative.org/Portals/0/documents/global-forum/Green_Paper_FINAL%20reduced.ppt [Accessed 24 October 2017]
- USEPA (2012) *Global Anthropogenic Non-CO₂ Greenhouse Gas Emissions: 1990 - 2030*. United States: Environmental Protection Agency.
- USEPA (2013) *Global Mitigation of Non-CO₂ Greenhouse Gases: 2010-2030*. United States: Environmental Protection Agency.
- Verdone, M., Olsen, N., Wylie, P., Saint Laurent, C., and Maginnis, M. (2015) *Making the case for forest landscape restoration. White paper, initial working draft for future discussion. Post-Bonn Challenge 2.0 Ministerial Event, 20-21 March 2015*. IUCN.
- Wagner, N. (2017) *Personal communication from Mr. N. Wagner, IRENA, September 2017*.
- Wichtmann, W., Schröder, C., and Joosten, H. (2016) *Paludiculture – productive use of wet peatlands. Climate protection – biodiversity – regional economic benefits*. Stuttgart: Schweizerbart Science Publishers.
- Wolf, D., Amonette, J., Alayne Street-Perrott, F., Lehmann, J., and Joseph, S. (2010) Sustainable biochar to mitigate global climate change. *Nature Communications*, 1-56.
- Worell, E., and Carreon, J. (2017) *Energy demand for materials in an international context*. Utrecht: The Royal Society.
- World Bank (2016) *The Cost of Fire: An Economic Analysis of Indonesia's 2015 Fire Crisis*. Jakarta: World Bank.

Chapter 5

- ADB (2017). 'Poverty in India.' Basic Statistics. Asian Development Bank. Available at: <https://www.adb.org/countries/india/poverty>[Accessed 19 October 2017]
- Annaluru, R., and Garg, A. (2017). Managing the Power Grid Ramping Challenges Critical to Success of India's Renewable Energy Targets. Working paper No 2017-08-01. *Indian Institute of Management Ahmedabad*. Available at: <https://web.iima.ac.in/assets/snippets/workingpaperpdf/14473831782017-08-01.pdf> [Accessed October 19 2017]
- Arent, D., Arndt, C., Miller, M., Zinaman, O., and Tarp, F. (2017). *'The Political Economy of Clean Energy Transitions.'* Oxford University Press.
- Audoly, R., Vogt-Schilb, A. and Guivarch, C. (2014). 'Pathways toward Zero-Carbon Electricity Required for Climate Stabilization.' *World Bank Policy Research Working Paper 7075*.
- Australian Government. (2017). 'Australian Mineral Commodities: Coal.' Department of Industry, Innovation and Science. Available at: <https://www.industry.gov.au/resource/Mining/AustralianMineralCommodities/Pages/Coal.aspx> [Accessed 19 October 2017]
- Bach, S., Kohlhaas, M., Meyer, B., Praetorius, B. and Welsch, H. (2002). 'The Effects of Environmental Fiscal Reform in Germany: A Simulation Study.' *Energy Policy* 30 (9): pp. 803–811.
- Baker, L., and Burton, J. in press. 'The Politics of Procurement and the Low Carbon Transition in South Africa.' In: Elgar, E. *Handbook of the International Political Economy of Energy and Natural Resources*.
- Sharma, B. K. and Das Kundu, N. (2016). *China's One Belt One Road: Initiative, Challenges and Prospects*. Vij Books India Pvt Ltd. Available at: <https://books.google.dk/books?isbn=9385563602> [Accessed 19 October 2017]
- Bauer, N., Mouratiadou, I., Luderer, G., Baumstark, L., Brecha, R. J., Edenhofer, O., and Kriegler, E. (2016). 'Global Fossil Energy Markets and Climate Change Mitigation—an Analysis with REMIND.' *Climatic Change* 136 (1): pp. 69–82.
- Bazilian, M., and Onyeji, I. (2012). 'Fossil Fuel Subsidy Removal and Inadequate Public Power Supply: Implications for Businesses.' *Energy Policy* 45: pp. 1–5.
- Bertram, C., Johnson, N., Luderer, G., Riahi, K., Isaac, M. and Eom, J. (2015). 'Carbon Lock-in through Capital Stock Inertia Associated with Weak near-Term Climate Policies.' *Technological Forecasting and Social Change* 90, Part A (January): pp. 62–72. Bertram, C., Luderer, G., Pietzcker, R. C., Schmid, E., Kriegler, E., and Edenhofer, O. (2015). 'Complementing Carbon Prices with Technology Policies to Keep Climate Targets within Reach.' *Nature Climate Change* 5 (3): pp. 235–39.
- BNEF (2017). 'New Energy Outlook.' Bloomberg New Energy Finance. <https://about.bnef.com/new-energy-outlook/>
- Bouzarovski, S. and Tirado Herrero, S. (2017). 'Geographies of Injustice: The Socio-Spatial Determinants of Energy Poverty in Poland, the Czech Republic and Hungary.' *Post-Communist Economies* 29 (1): pp. 27–50.
- Branger, F. and Quirion, P. (2014). 'Climate Policy and the 'Carbon Haven' Effect.' *Wiley Interdisciplinary Reviews: Climate Change* 5 (1): pp. 53–71. doi:10.1002/wcc.245.
- Brenner, M., Riddle, M. and Boyce, J.K. (2007). 'A Chinese Sky Trust?: Distributional Impacts of Carbon Charges and Revenue Recycling in China.' *Energy Policy* 35 (3): pp. 1771–1784.
- Breyer, C., Bogdanov, D., Gulagi, A., Aghahosseini, A., Barbosa, L. S.N.S., Koskinen, O., Maulidi Barasa, M. (2017). 'On the Role of Solar Photovoltaics in Global Energy Transition Scenarios.' *Progress in Photovoltaics: Research and Applications* 25: pp. 727–745. doi:10.1002/pip.2885.
- Burton, J., Caetano, T., Hughes, A., Merven, B., Ahjum, F. and McCall, B. (2016). 'The Impact of Stranding Power Sector Assets in South Africa: Using a Linked Model to Understand Economy-Wide Implications.' Cape Town: Energy Research Centre, University of Cape Town.

- Burtraw, D., Sweeney, R. and Walls, M. (2009). 'The Incidence of U.S. Climate Policy: Alternative Uses of Revenues from a Cap-and-Trade Auction.' *National Tax Journal* 62 (3): pp. 497–518.
- Caldecott, B. (2017). 'Introduction to Special Issue: Stranded Assets and the Environment.' *Journal of Sustainable Finance & Investment* 7 (1): pp. 1–13.
- Caldecott, B., Sartor, O. and Spencer, T. (2017). 'Lessons from Previous Coal Transitions: High-Level Summary for Decision-Makers.' London: IDDRI & Climate Strategies. http://www.iddri.org/Publications/Rapports-and-briefing-papers/COAL_SynthesisReport_v04.pdf
- Callan, T., Lyons, S., Scott, S., Tol, R. S. J. and Verde, S. (2009). 'The Distributional Implications of a Carbon Tax in Ireland.' *Energy Policy* 37 (2): pp. 407–412.
- Cameron, L., and van der Zwaan, B. (2015). 'Employment Factors for Wind and Solar Energy Technologies: A Literature Review.' *Renewable and Sustainable Energy Reviews* 45 (May): pp. 160–172.
- Carbon Tracker Initiative. (2015). 'The \$2 Trillion Stranded Assets Danger Zone: How Fossil Fuel Firms Risk Destroying Investor Returns.' London. <https://www.carbontracker.org/reports/stranded-assets-danger-zone/>
- CEC. (2017). 'Briefing on the Power Sector's Status during January - June 2017.' China Electricity Council. <http://www.cec.org.cn/guihuayutongji/gongxufenxi/dianliyuningxingjiankuang/2017-07-19/171012.html>
- Central Electricity Authority Government of India. (2016). 'Draft National Electricity Plan (Volume 1) Generation.' http://www.cea.nic.in/reports/committee/nep/nep_dec.pdf
- Chen, H. (2017). 'Why Are G20 Governments Financing Coal Over Renewables?' *National Resources Defense Council (NRDC) Expert Blog*. July 17. <https://www.nrdc.org/experts/han-chen/why-are-g20-governments-financing-coal-over-renewables>
- Chong, C., Ma, L., Li, Z., Ni, W and Song, S. (2015). 'Logarithmic Mean Divisia Index (LMDI) Decomposition of Coal Consumption in China Based on the Energy Allocation Diagram of Coal Flows.' *Energy* 85 (June): pp. 366–378.
- Citi GPS. (2015). 'Energy 2030: Financing a Greener Future. Financing Green Energy in a Low Fossil Fuel Price World and Managing Stranded Asset Risk.' Citi Global Perspectives & Solutions. <https://ir.citi.com/BOKALUJBhr6ezsrQxov5Zpfx3D8UkGSU7cyUzHOPUzfk%2FaozVshGqUWCOWuxH0eFBsfY5BSB8aM%3D>
- Clarke, L., Jiang, K., Akimoto, K., Babiker, M., Blanford, G., Fisher-Vanden, K. and van Vuuren, D. P. (2014). Assessing Transformation Pathways. In: *Climate Change 2014: Mitigation of Climate Change. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge, New York. Cambridge University Press.
- Coady, D., Parry, I., Sears, L. and Shang, B. (2016). 'How Large Are Global Fossil Fuel Subsidies?' *World Development*.
- Coady, D., Parry, I. and Shang, B. (2017). 'Energy Price Reform: A Guide for Policymakers.' CESifo Working Paper Series No. 6342.
- Collier, P., and Venables, A. J. (2014). 'Closing Coal: Economic and Moral Incentives.' *Oxford Review of Economic Policy* 30 (3): pp. 492–512.
- Coons, C. (2015). 'Master Limited Partnership Parity Act Section-by-Section.' http://www.mlpassociation.org/wp-content/uploads/2015/09/MLP_Section-by-Section-114th_Congress.pdf
- Cramton, P, MacKay, D. J. C., Ockenfels, A. and Stoft, S. eds. (2017). *Global Carbon Pricing: The Path to Climate Cooperation*. Cambridge, MA, USA: MIT Press.
- Creutzig, F., Agoston, P., Goldschmidt, J. C., Luderer, G., Nemet, G. and Pietzcker, R. C. (2017). 'The Underestimated Potential of Solar Energy to Mitigate Climate Change.' *Nature Energy* 2 (9):
- CSIR. (2016). 'Least-Cost Electricity Mix for South Africa by 2040: Scenarios for South Africa's Future Electricity Mix.' Pretoria: South Africa: Council of Scientific & Industrial Research (CSIR) Energy Centre.
- Danish Energy Agency. (2017). 'Annual and Monthly Statistics.' <https://ens.dk/en/our-services/statistics-data-key-figures-and-energy-maps/annual-and-monthly-statistics>
- Davis, S. J., Caldeira, K. and Matthews, H. D. 2010. 'Future CO₂ Emissions and Climate Change from Existing Energy Infrastructure.' *Science* 329 (5997): pp. 1330–1333.
- Davis, S. J., and Socolow R.H. (2014). 'Commitment Accounting of CO₂ Emissions.' *Environmental Research Letters* 9 (8).
- DoE. 2017a. 'Siting and Regulating Carbon Capture, Utilization and Storage Infrastructure.' Workshop Report. Washington, DC: U.S. Dept. of Energy.
- DoE. 2017b. 'Staff Report to the Secretary on Electricity Markets and Reliability.' Washington DC: U.S. Dept. of Energy. https://energy.gov/sites/prod/files/2017/08/f36/Staff%20Report%20on%20Electricity%20Markets%20and%20Reliability_0.pdf
- Dolphin, G., Pollitt, M. and Newbery, D. (2016). 'Political Economy of Carbon Pricing Policies: Insights from a Panel of Countries.' In *Energy: Expectations and Uncertainty, 39th IAAE International Conference, Jun 19-22, (2016)*. International Association for Energy Economics.
- Edenhofer, O., Steckel, J. C., Jakob, M. and Bertram, C. (2017). 'Reports of Coal's Terminal Decline May Be Exaggerated.' *MCC Working Paper*.
- Enerdata. (2015). 'Indonesia Releases Its 35 GW Power Capacity Addition Plan.' http://www.enerdata.net/enerdatauk/press-and-publication/energy-news-001/indonesia-releases-its-35-gw-power-capacity-addition-plan_32605.html
- Eskom. (2017). 'Integrated Report 2017.' http://www.eskom.co.za/IR2017/Documents/Eskom_integrated_report_2017.pdf
- Fay, M., Hallegatte, S., Vogt-Schilb, A., Rozenberg, J., Narloch, U. and Kerr, T. (2015). *Decarbonizing Development: Three Steps to a Zero-Carbon Future*. Washington DC, USA: World Bank Publications.
- Fothergill, S. (2017). 'Coal Transition in the United Kingdom.' An Historical Case Study for the Project 'Coal Transitions: Research and Dialogue on the Future of Coal.' IDDRI and Climate Strategies. www.iddri.org/Publications/Rapports-and-briefing-papers/COAL_UK_v04.pdf
- Galgóczy, B. (2014). 'The Long and Winding Road from Black to Green: Decades of Structural Change in the Ruhr Region.' *International Journal of Labour Research* 6 (2): pp. 217–240.
- Garg, A., Mohan, P., Kankal, B., Shukla, S. and Vishwanathan, S. (2017). *High-Impact Opportunities for Energy Efficiency in India*. Copenhagen: Copenhagen Centre on Energy Efficiency, UNEP DTU. ISBN: 978-87-93458-14-7
- Garg, A., and Shukla, P. R. (2009). 'Coal and Energy Security for India: Role of Carbon Dioxide (CO₂) Capture and Storage (CCS).' *Energy Journal* 34 (8): pp. 1032–1041.

- Gerdes, J. (2016). *Quitting Carbon: How Denmark Is Leading the Clean Energy Transition and Winning the Race to the Low-Carbon Future*.
- Gol. (2017). India's Intended Nationally Determined Contribution: Working Towards Climate Justice. New Delhi: Government of India. <http://www4.unfccc.int/submissions/INDC/Published%20Documents/India/1/INDIA%20INDC%20TO%20UNFCCC.pdf>
- Gonzalez, F. (2012). 'Distributional Effects of Carbon Taxes: The Case of Mexico.' *Energy Economics* 34 (6): pp. 2102–2115. doi:10.1016/j.eneco.2012.03.007.
- Goulder, L. H., and Schein, A. R. (2013). 'Carbon Taxes versus Cap and Trade: A Critical Review.' *Climate Change Economics* 4 (3): 1350010. doi:10.1142/S2010007813500103.
- Government of Alberta. (2015). 'Phasing Out Coal Pollution – Alberta Climate Leadership Plan.' Edmonton. <http://www.alberta.ca/climate-coal-electricity.cfm>
- Graichen, P., Kleiner, M. M. and Buck, M. (2016). 'Energy Transition in the Power Sector in Europe: State of Affairs in 2015: Review of the Developments and Outlook for 2016.' *Agora Energiewende*.
- Arze del Granado, F.J., Coady, D., Gillingham, R. (2012). 'The Unequal Benefits of Fuel Subsidies: A Review of Evidence for Developing Countries.' *World Development* 40 (11): pp. 2234–2248.
- Great Plains Institute. (2016). 'Putting the Puzzle Together: State and Federal Policy Drivers for Growing America's Carbon Capture & CO₂-EOR Industry.' Great Plains Institute. [http://www.betterenergy.org/sites/default/files/PolicyDriversCO₂-EOR%20V1.1_0.pdf](http://www.betterenergy.org/sites/default/files/PolicyDriversCO2_EOR%20V1.1_0.pdf)
- Green, F., and Stern, N. (2017). 'China's Changing Economy: Implications for Its Carbon Dioxide Emissions.' *Climate Policy* 17 (4): pp. 423–442.
- Guivarch, C., and Hood, C. 2011. 'Early Retirement of Coal-Fired Generation in the Transition to Low-Carbon Electricity Systems.' In: *Climate & Electricity Annual 2011 Data and Analyses*. Paris: International Energy Agency.
- Hallegatte, S., Bangalore, M., Bonzanigo, L., Fay, M., Kane, T., Narloch, U., Rozenberg, J., Treguer, D. and Vogt-Schilb, A. (2016). *Shock Waves: Managing the Impacts of Climate Change on Poverty*. Washington DC: World Bank Publications.
- Hao, Y., Liu, Y., Weng, J., and Gao, Y. (2016). 'Does the Environmental Kuznets Curve for Coal Consumption in China Exist? New Evidence from Spatial Econometric Analysis.' *Energy* 114 (November): pp. 1214–1223.
- Hart, M., Bassett, L. and Johnson, B. (2017). 'Everything You Think You Know About Coal in China Is Wrong.' Issue Brief. Energy and Environment. Center for American Progress. <https://www.americanprogress.org/issues/green/reports/2017/05/15/432141/everything-think-know-coal-china-wrong/>
- Healy, N., and Barry, J. (2017). 'Politicizing Energy Justice and Energy System Transitions: Fossil Fuel Divestment and a 'Just Transition.' *Energy Policy* 108 (September): pp. 451–459.
- Heede, R. (2014). 'Tracing Anthropogenic Carbon Dioxide and Methane Emissions to Fossil Fuel and Cement Producers, 1854–2010.' *Climatic Change* 122 (1–2): pp. 229–241.
- Heede, R., and Oreskes, N. (2016). 'Potential Emissions of CO₂ and Methane from Proved Reserves of Fossil Fuels: An Alternative Analysis.' *Global Environmental Change* 36: pp. 12–20.
- Hirth, L., and Steckel, J.C. (2016). 'The Role of Capital Costs in Decarbonizing the Electricity Sector.' *Environmental Research Letters* 11. doi:doi:10.1088/1748-9326/11/11/114010.
- Hirth, L., Ueckerdt, F. and Edenhofer, O. (2015). 'Integration Costs Revisited – An Economic Framework for Wind and Solar Variability.' *Renewable Energy* 74 (February): pp. 925–939.
- Hirth, L., Ueckerdt, F. and Edenhofer, O. (2016). 'Why Wind Is Not Coal: On the Economics of Electricity Generation.' *The Energy Journal* 37 (3).
- Houser, T., Bordoff, J. and Marsters, P. (2017). 'Can Coal Make a Comeback?' New York, NY: Columbia University. Center on Global Energy Policy. https://www.eenews.net/assets/2017/04/27/document_gw_06.pdf
- IEA. (2016). *World Energy Outlook (2016)*. International Energy Agency. Paris: IEA. http://www.oecd-ilibrary.org/energy/world-energy-outlook-2016_weo-2016-en
- IEA. (2017). *Tracking Progress: Renewable Power*. Paris: IEA. <https://www.iea.org/etp/tracking2017/renewablepower>
- IEA/OECD. (2016). *Coal Information (2016)*. Paris, France: International Energy Agency, OECD Publishing. http://www.oecd-ilibrary.org/energy/coal-information-2016_coal-2016-en
- IEA-RETD. (2016). 'RE-TRANSITION – Transitioning to Policy Frameworks for Cost-Competitive Renewables.' Utrecht: IEA Technology Collaboration Programme for Renewable Energy Technology Deployment (IEA-RETD).
- International Labour Organization. (2015). *Guidelines for a Just Transition towards Environmentally Sustainable Economies and Societies for All*. Geneva: International Labour Organization. http://www.ilo.org/wcmsp5/groups/public/---ed_emp/---emp_ent/documents/publication/wcms_432859.pdf
- IPCC. (2014). *Climate Change 2014: Mitigation of Climate Change. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Edited by Edenhofer, Ottmar, Ramón Pichs-Madruga, Youba Sokona, Ellie Farahani, Susanne Kadner, Anna Adler, and Kristin Seyboth. Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press.
- Iqtiyanillham, N., Hasanuzzaman, M. and Hosenuzzaman, M. (2017). 'European Smart Grid Prospects, Policies, and Challenges.' *Renewable and Sustainable Energy Reviews* 67: pp. 776–790.
- IRENA. 2017a. 'Geothermal Power. Technology Brief.' Abu Dhabi: International Renewable Energy Agency. http://www.irena.org/DocumentDownloads/Publications/IRENA_Geothermal_Power_2017.pdf
- IRENA. 2017b. 'Stranded Assets and Renewables: How the Energy Transition Affects the Value of Energy Reserves, Buildings and Capital Stock.' Abu Dhabi: International Renewable Energy Agency (IRENA). http://www.irena.org/DocumentDownloads/Publications/IRENA_REmap_Stranded_assets_and_renewables_2017.pdf
- Iyer, G. C., Clarke, L. E., Edmonds, J.E., Flannery, B. P., Hultman, N.E., McJeon, H. C. and Victor, D. G. (2015). 'Improved Representation of Investment Decisions in Assessments of CO₂ Mitigation.' *Nature Climate Change* 5 (5): pp. 436–440.
- Jakob, M., Chen, C., Fuss, S., Marxen, A. and Edenhofer, O. (2015). 'Development Incentives for Fossil Fuel Subsidy Reform.' *Nature Climate Change* 5 (8): pp. 709–712.

- Jakob, M., Chen, C., Fuss, S., Marxen, A., Rao, N. D. and Edenhofer, O. (2016). 'Carbon Pricing Revenues Could Close Infrastructure Access Gaps.' *World Development* 84 (August): pp. 254–265.
- Jakob, M., and Steckel, J.C. (2016). 'Implications of Climate Change Mitigation for Sustainable Development.' *Environmental Research Letters* 11 (10): 104010.
- Johnson, N., Krey, V., McCollum, D. L., Rao, S., Riahi, K. and Rogelj, J. (2015). 'Stranded on a Low-Carbon Planet: Implications of Climate Policy for the Phase-out of Coal-Based Power Plants.' *Technological Forecasting and Social Change* 90, Part A (January): pp. 89–102.
- Jonek Kowalska, I. (2015). 'Challenges for Long-Term Industry Restructuring in the Upper Silesian Coal Basin: What Has Polish Coal Mining Achieved and Failed from a Twenty-Year Perspective?' *Resources Policy* 44 (June): pp. 135–149.
- Jordaan, S. M., Romo-Rabago, E., McLeary, R., Reidy, L., Nazari, J., and Herremans, I.M. (2017). 'The Role of Energy Technology Innovation in Reducing Greenhouse Gas Emissions: A Case Study of Canada.' *Renewable and Sustainable Energy Reviews* 78 (October): pp. 1397–1409. doi:10.1016/j.rser.2017.05.162.
- Jotzo, F., Jordan, T. and Fabian, N. (2012). 'Policy Uncertainty about Australia's Carbon Price: Expert Survey Results and Implications for Investment.' *Australian Economic Review* 45 (4): pp. 395–409.
- Kalkuhl, M., and Brecha, R.J. (2013). 'The Carbon Rent Economics of Climate Policy.' *Energy Economics* 39: pp. 89–99.
- Kern, F., and Rogge, K. S. (2016). 'The Pace of Governed Energy Transitions: Agency, International Dynamics and the Global Paris Agreement Accelerating Decarbonisation Processes?' *Energy Research & Social Science* 22 (December): pp. 13–17.
- Khosla, R., Dukkupati, S., Dubash, N.K., Sreenivas, A. and Cohen, B. (2015). 'Towards Methodologies for Multiple Objective-Based Energy and Climate Policy.' *Economic & Political Weekly* 50 (49): pp. 49–59.
- Kim, S. E., Urpelainen, J. and Yang, J. (2016). 'Electric Utilities and American Climate Policy: Lobbying by Expected Winners and Losers.' *Journal of Public Policy* 36 (2): pp. 251–275.
- Kolstad, C. D., Urama, K., Broome, J., Bruvoll, A., Cariño-Olvera, M., Fullerton, D., Gollier, C. (2014). 'Social, Economic and Ethical Concepts and Methods.' In: *Climate Change 2014: Mitigation of Climate Change*, pp. 173–248. Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press. <http://lup.lub.lu.se/record/5104578>.
- Kriegler, E., Weyant, J.P., Blanford, G. J., Krey, V., Clarke, L., Edmonds, J., Fawcett, A. (2014). 'The Role of Technology for Achieving Climate Policy Objectives: Overview of the EMF 27 Study on Global Technology and Climate Policy Strategies.' *Climatic Change* 123 (3–4): pp. 353–367.
- Lazarus, M., Erickson, P. and Tempest, K. (2015). 'Supply-Side Climate Policy: The Road Less Taken.' *Stockholm Environment Institute, Working Paper*, No. SEI-WP-2015-13 (October).
- Liang, Q. and Wei, Y. (2012). 'Distributional Impacts of Taxing Carbon in China: Results from the CEEPA Model.' *Applied Energy* 92 (April): pp. 545–551.
- Lindebjerg, E. S., Peng, W., and Yeboah, S. (2015). 'Do Policies for Phasing out Fossil Fuel Subsidies Deliver What They Promise? Social Gains and Repercussions in Iran, Indonesia and Ghana.' United Nations Research Institute for Social Development (UNRISD) Working Paper.
- Löffler, K., Hainsch, K., Burandt, T., Oei, P., Kemfert, C. and von Hirschhausen, C. (2017). 'Designing a Global Energy System Based on 100% Renewables for 2050 - GENeSYS-MOD: An Application of the Open-Source Energy Modelling System (OSeMOSYS).' DIW Discussion Paper, DIW Discussion Paper 1678.
- Louie, E. P., and Pearce, J.M. (2016). 'Retraining Investment for U.S. Transition from Coal to Solar Photovoltaic Employment.' *Energy Economics* 57 (June): pp. 295–302.
- Luderer, G., Pietzcker, R. C., Carrara, Bertram, C., Kriegler, E., Meinshausen, M. and Edenhofer, O. (2013). 'Economic Mitigation Challenges: How Further Delay Closes the Door for Achieving Climate Targets.' *Environmental Research Letters* 8 (3): 34033.
- Luderer, G., Pietzcker, R. C., Carrara, S., Sytze de Boer, H., Fujimori, S., Johnson, N., Mima, S. and Arent, D. (2017). 'Assessment of Wind and Solar Power in Global Low-Carbon Energy Scenarios: An Introduction.' *Energy Economics* 64 (May): pp. 542–551.
- Marcinkiewicz, K., and Tosun, J. (2015). 'Contesting Climate Change: Mapping the Political Debate in Poland.' *East European Politics* 31 (2): pp. 187–207. doi:10.1080/21599165.2015.1022648.
- Matthes, F. C. (2017). 'Energy Transition in Germany: A Case Study on a Policy-Driven Structural Change of the Energy System.' *Evolutionary and Institutional Economics Review* 14 (1): pp. 141–169.
- Matthes, F. C., Fabra, N., Newbery, D., Colombier, M., Mathieu, M. and Rüdinger, A. (2015). 'The Energy Transition in Europe: Initial Lessons from Germany, the UK and France.' Centre on Regulation in Europe (CERRE).
- McGlade, C., and Ekins, P. (2015). 'The Geographical Distribution of Fossil Fuels Unused When Limiting Global Warming to 2°C.' *Nature* 517 (7533): pp. 187–190. doi:10.1038/nature14016.
- Meadowcroft, J., Stephens, J., Wilson, E. and Rowlands, I. (2017). 'Social Dimensions of Smart Grid: Regional Analysis in Canada and the United States. Introduction to Special Issue of Renewable and Sustainable Energy Reviews.' *Renewable and Sustainable Energy Reviews* In press.
- Meinshausen, M., Meinshausen, N., Hare, W., Raper, S. C. B., Frieler, K., Knutti, R., Frame, D. J. and Allen, M. R. (2009). 'Greenhouse-Gas Emission Targets for Limiting Global Warming to 2°C.' *Nature* 458 (7242): pp. 1158–1162. doi:10.1038/nature08017.
- MEMR. (2016). 'Statistik Ketenagalistrakan (Electricity Statistics) 2015.' Jakarta: Directorate General Electricity Ministry of Energy and Mineral Resources of Indonesia.
- MEMR. (2017). 'Electricity Supply Business Plan (Rencana Umum Penyediaan Tenaga Listrik) 2017 – 2026.' Jakarta: Directorate General Electricity Ministry of Energy and Mineral Resources of Indonesia.
- Mendelevitch, R., Richter, P. and Jotzo, F. (2015). 'Market Power Rents and Climate Change Mitigation: A Rationale for Coal Export Taxes?' Conference Paper.
- Metcalf, G. E. (1999). 'A Distributional Analysis of Green Tax Reforms.' *National Tax Journal* 52 (4): pp. 655–682.
- Miller, C. A., Richter, J. and O'Leary, J. (2015). 'Socio-Energy Systems Design: A Policy Framework for Energy Transitions.' *Energy Research & Social Science* 6 (March): pp. 29–40.
- Ministry of Power Government of India. n.d. *LOK SABHA STARRED QUESTION NO.164 ANSWERED ON 28.07.2016*.

- Mondal, D. (2017). 'Electricity May Get Costlier as States Demand Higher Royalty on Coal: India Ratings.' *ET Energy World*. January 18. <http://energy.economicstimes.indiatimes.com/news/coal/electricity-may-get-costlier-as-states-demand-higher-royalty-on-coal-india-ratings/56649160>
- Morgan, E. (2017). 'Electricity Prices Could Double with New Coal-Fired Stations, Energy Experts Say.' ABC. <http://www.abc.net.au/news/2017-02-02/coal-power-stations-could-double-the-cost-of-electricity/8234240>
- NDRC. (2016). 'First Biennial Update Report on Climate Change of China.' China's official submission to the UNFCCC. National Development and Reform Commission. http://unfccc.int/files/national_reports/non-annex_i_parties/biennial_update_reports/application/pdf/pr_china-_bur-chinese+en.pdf
- Nemet, G. F., Jakob, M., Steckel, J. C. and Edenhofer, O. (2017). 'Addressing Policy Credibility Problems for Low-Carbon Investment.' *Global Environmental Change* 42 (January): pp. 47–57. doi:10.1016/j.gloenvcha.2016.12.004.
- Nordhaus, W. D. (1991). 'A Sketch of the Economics of the Greenhouse Effect.' *The American Economic Review* 81 (2): pp. 146–150.
- OCI. (2016). 'The Sky's Limit. Why the Paris Climate Goals Require a Managed Decline of Fossil Fuel Production.' Oil Change International. http://priceofoil.org/content/uploads/2016/09/OCI_the_skys_limit_2016_FINAL_2.pdf
- OECD. (2017). *Investing in Climate, Investing in Growth*. OECD Publishing, Paris. http://www.oecd-ilibrary.org/economics/investing-in-climate-investing-in-growth_9789264273528-en
- Oei, P., and Mendelevitch, R. (2016). 'European Scenarios of CO₂ Infrastructure Investment until 2050.' *The Energy Journal* 37: pp. 171-194.
- Olivier, J. G. J., Greet Janssens-Maenhout, Marilena Muntean, and Jeroen Peters. (2016). 'Trends in Global CO₂ Emissions: 2016 Report.' PBL publication number: 2315. JRC Science for Policy Report: 103428. The Hague: PBL Netherlands Environmental Assessment Agency. European Commission, Joint Research Centre.
- Ondraczek, J., Komendantova, N. and Patt, A. (2015). 'WACC the Dog: The Effect of Financing Costs on the Levelized Cost of Solar PV Power.' *Renewable Energy* 75: pp. 888–898.
- Oosterhuis, F., and ten Brink, P. eds. (2014). *Paying the Polluter: Environmentally Harmful Subsidies and Their Reform*. Cheltenham, UK ; Northampton, MA, USA: Edward Elgar Publishing.
- Park, A., and Lappas, P. (2017). 'Evaluating Demand Charge Reduction for Commercial-Scale Solar PV Coupled with Battery Storage.' *Renewable Energy* 108 (August): pp. 523–532.
- Parry, I. W. H., and Williams III, R.C. (2010). 'What Are the Costs of Meeting Distributional Objectives for Climate Policy?' *The B.E. Journal of Economic Analysis & Policy* 10 (2): pp. 1935–1682.
- Pearce, D. (1991). 'The Role of Carbon Taxes in Adjusting to Global Warming.' *The Economic Journal* 101 (407): pp. 938–948.
- Perrier, Q., and Quirion, P. (2016). 'La transition énergétique est-elle favorable aux branches à fort contenu en emploi ? Une approche input-output pour la France.' Working Paper 2016.09. French Association of Environmental and Resource Economists (FAERE) http://faere.fr/pub/WorkingPapers/Perrier_Quirion_FAERE_WP2016.09.pdf
- Pfeiffer, A., Millar, M., Hepburn, C. and Beinhocker, E. (2016). 'The '2°C Capital Stock' for Electricity Generation: Committed Cumulative Carbon Emissions from the Electricity Generation Sector and the Transition to a Green Economy.' *Applied Energy* 179 (October): pp. 1395–1408.
- Pigou, A. C. (1920). *The Economics of Welfare*. Macmillan & Co., London.
- Portman, R. (2017). 'Portman, Bennet Introduce Bill to Help Finance Carbon Capture and Storage Projects.' Press release. <https://www.portman.senate.gov/public/index.cfm/2017/4/portman-bennet-introduce-bill-to-help-finance-carbon-capture-and-storage-projects>
- Porto, G.G. (2012). 'The Cost of Adjustment to Green Growth Policies: Lessons from Trade Adjustment Costs.' World Bank Policy Research Working Paper No. 6237. <http://papers.ssrn.com/abstract=2165675>
- PWC Indonesia and ICMA. (2016). 'Supplying and Financing Coal-fired Power Plants in 35 GW Programme.' <http://www.apbi-icma.org/wp-content/uploads/2016/03/03-03-2016-APBI-PwC-Report-on-Supplying-and-Financing-the-35-GW-program-FINAL-FINAL-rev-8-32016.pdf>
- Ragwitz, M., Schade, W., Breitschopf, B., Walz, R., Helfrich, N., Rathmann, M., Resch, G., Panzer, C., Faber, T. and Haas, R. (2009). 'EmployRES. The Impact of Renewable Energy Policy on Economic Growth and Employment in the European Union. Final Report, Contract No.' TREN.
- Rausch, S., Metcalf, G. E. and Reilly, J.M. 2011. 'Distributional Impacts of Carbon Pricing: A General Equilibrium Approach with Micro-Data for Households.' *Energy Economics*, Supplemental Issue: Fourth Atlantic Workshop in Energy and Environmental Economics, 33, Supplement 1 (December): S20–33.
- Reddy, B. S. (2016). 'India's Energy System Transition—Survival of the Greenest.' *Renewable Energy* 92: pp. 293–302.
- Ren, P., Liu, C. and Zhang, L. (2017). 'China's Involvement in Coal-Fired Power Projects along the Belt and Road.' *Global Environmental Institute*. http://www.geichina.org/_upload/file/report/China's_Involvement_in_Coal-fired_Power_Projects_OBOR_EN.pdf
- Renn, O., and Marshall, J.P. (2016). 'Coal, Nuclear and Renewable Energy Policies in Germany: From the 1950s to the 'Energiewende.' *Energy Policy* 99 (December): pp. 224–232.
- Rentschler, J. (2015). Incidence and Impact: A Disaggregated Poverty Analysis of Fossil Fuel Subsidy Reform. OIES working Paper: SP 36. Oxford: Oxford Institute for Energy Studies.
- Rentschler, J and Bazilian, M. (2016). 'Reforming Fossil Fuel Subsidies: Drivers, Barriers and the State of Progress.' *Climate Policy*, 17 (7): pp. 891–914.
- Riahi, K., Kriegler, E., Johnson, N., Bertram, C., den Elzen, M., Eom, J., Schaeffer, M. (2015). 'Locked into Copenhagen Pledges – Implications of Short-Term Emission Targets for the Cost and Feasibility of Long-Term Climate Goals.' *Technological Forecasting and Social Change* 90, Part A (January): pp. 8–23.
- Rifkin, J. 2011. *The Third Industrial Revolution: How Lateral Power Is Transforming Energy, the Economy, and the World*. St. Martin's Press. <http://www.ebooks.com/731631/the-third-industrial-revolution/rifkin-jeremy/>
- Robles, M., Rubio, M. G., and Stampini, M.S. (2015). 'Have Cash Transfers Succeeded in Reaching the Poor in Latin America and the Caribbean?' Inter-American Development Bank (IDB). <http://publications.iadb.org/handle/11319/7223>

- Rogelj, J., Luderer, G., Pietzcker, R. C., Kriegler, E., Schaeffer, M., Krey, V., and Riahi, K. (2015). 'Energy System Transformations for Limiting End-of-Century Warming to below 1.5°C.' *Nature Climate Change* 5 (6): pp. 519–527. doi:10.1038/nclimate2572.
- Rogelj, J., McCollum, D. L., O'Neill, B.C. and Riahi, K. (2013). '2020 Emissions Levels Required to Limit Warming to below 2°C?' *Nature Climate Change* 3 (4): pp. 405–412.
- Rozenberg, J., Vogt-Schilb, A. and Hallegatte, S. (2017). 'Instrument Choice and Stranded Assets in the Transition to Clean Capital.' Inter-American Development Bank (IDB).
- Sachs, J., Guerin, E., Mas, C., Schmidt-Traub, G., Tubiana, L., Waisman, H., Colombier, M. (2014). 'Pathways to Deep Decarbonization: 2014 Report.' INIS-FR--15-0191. France: SDSN/IDDRI.
- Sdravovich, C.A., Sab, R., Zouhar, Y. and Albertin, G. (2014). *Subsidy Reform in the Middle East and North Africa: Recent Progress and Challenges Ahead*. International Monetary Fund.
- Shearer, C., Ghio, N., Myllyvirta, L., Yu, A. and Nace, T. (2017). 'Boom and Bust 2017 - Tracking the Global Coal Plant Pipeline.' Coalswarm / Sierra Club / Greenpeace.
- Singh, R. K. (2016). 'India Seeks to Shut 12% of Power Capacity in Anti-Pollution Move.' *Live Mint*, May 8. <http://www.livemint.com/Industry/QkD9eo3lrSVj1sxV3ubB9K/India-seeks-to-shut-12-of-power-capacity-in-antipollution.html>
- Sovacool, B. (2017). 'Reviewing, Reforming, and Rethinking Global Energy Subsidies: Towards a Political Economy Research Agenda.' *Ecological Economics* 135 (February): 150–163. doi:<http://dx.doi.org/10.1016/j.ecolecon.2016.12.009>.
- Sovacool, B. K., Heffron R. J., McCauley, D. and Goldthau, A. (2016). 'Energy Decisions Reframed as Justice and Ethical Concerns.' *Nature Energy* 1: 16024.
- Steckel, J. C., Edenhofer, O and Jakob, M. (2015). 'Drivers for the Renaissance of Coal.' *Proceedings of the National Academy of Sciences* 112 (29): E3775–81. doi:10.1073/pnas.1422722112.
- Steckel, J. C., Jakob, M., Flachsland, C., Kornek, U., Lessmann, K., and Edenhofer, O. (2017). 'From Climate Finance toward Sustainable Development Finance.' *Wiley Interdisciplinary Reviews: Climate Change* 8 (1).
- Stern, T., ed. (2012). *Fuel Taxes and the Poor: The Distributional Effects of Gasoline Taxation and Their Implications for Climate Policy*. New York: RFF Press.
- Stiglitz, J. and Stern, N. (2017). *Report of the High-Level Commission on Carbon Prices*. Washington: World Bank Group: Carbon Pricing Leadership Coalition.
- Suwala, W. 2010. 'Lessons Learned from the Restructuring of Poland's Coal-Mining Industry.' Global Subsidies Initiative (GSI), International Institute for Sustainable Development (IISD).
- Swartz, J. (2016). 'China's National Emissions Trading System: Implications for Carbon Markets and Trade.' Issue Paper No. 6. International Centre for Trade and Sustainable Development (ICTSD).
- Symons, E., Proops, J. and Gay, P. (1994). 'Carbon Taxes, Consumer Demand and Carbon Dioxide Emissions: A Simulation Analysis for the UK.' *Fiscal Studies* 15 (2): pp. 19–43.
- Szpor, A. (2017). 'Coal Transition in Poland.' IDDRI and Climate Strategies. www.iddri.org/Publications/Rapports-and-briefing-papers/COAL_PL_v04.pdf
- Szulecki, K., Fischer, S., Gullberg, A.T. and Sartor, O. (2016). 'Shaping the 'Energy Union': between National Positions and Governance Innovation in EU Energy and Climate Policy.' *Climate Policy* 16 (5): pp. 548–567.
- Torvanger, A., Narbel, P., Pillay, K. and Clapp, C. (2016). 'Instruments to Incentivize Private Climate Finance for Developing Countries.' *CICERO Report*.
- Trebilcock, C. 1981. *The Industrialization of the Continental Powers, 1780–1914*. Longman London.
- Trebilcock, M. J. (2014). *Dealing with Losers: The Political Economy of Policy Transitions*. Oxford University Press, USA.
- United Nations. (2015). 'Adoption of the Paris Agreement.' Framework Convention on Climate Change. <http://unfccc.int/resource/docs/2015/cop21/eng/l09r01.pdf>
- US Senate. (2017). 'S.1535 – FUTURE Act.' Washington, DC. <https://www.congress.gov/bill/115th-congress/senate-bill/1535/text>
- Vogt-Schilb, A. and Hallegatte, S. (2017). 'Climate Policies and Nationally Determined Contributions: Reconciling the Needed Ambition with the Political Economy.' *WIREs Energy Environment* 6 (6). doi:10.1002/wene.256.
- Wei, M., Patadia, S. and Kammen, D. M. (2010). 'Putting Renewables and Energy Efficiency to Work: How Many Jobs Can the Clean Energy Industry Generate in the U.S.?' *Energy Policy* 38 (2): pp. 919–931.
- West, J. J., Smith, S. J., Silva, R. A., Naik, V., Zhang, Y., Adelman, Z., Fry, M. M., Anenberg, S., Horowitz, L.W. and Lamarque, J. (2013). 'Co-Benefits of Mitigating Global Greenhouse Gas Emissions for Future Air Quality and Human Health.' *Nature Climate Change* 3 (10): pp. 885–889. doi:10.1038/nclimate2009.
- White House. (2015). 'The Budget of the U.S. Government Fiscal Year 2015.' Washington, DC.
- White House. (2016). "The Budget of the U.S. Government Fiscal Year 2016." Washington, DC.
- Widera, M., Kasztelewicz, Z. and Ptak, M. (2016). 'Lignite Mining and Electricity Generation in Poland: The Current State and Future Prospects.' *Energy Policy* 92: pp. 151–157.
- Williams, J. H., DeBenedictis, A., Ghanadan, R., Mahone, A., Moore, J., Morrow III, W.R., Price, S. and Torn, M.S. (2012). 'The Technology Path to Deep Greenhouse Gas Emissions Cuts by 2050: The Pivotal Role of Electricity.' *Science* 335 (6064): pp. 53–59.
- World Bank. (2015). *The State of Social Safety Nets (2015)*. Washington DC: The World Bank. <http://elibrary.worldbank.org/doi/book/10.1596/978-1-4648-0543-1>
- World Bank, and Ecofys. (2016). 'Carbon Pricing Watch 2016: An Advance Brief from the State and Trends of Carbon Pricing 2016 Report, to Be Released Late 2016.' Washington, DC: World Bank Group. <http://documents.worldbank.org/curated/en/2016/05/26379305/carbon-pricing-watch-2016-advance-brief-state-trends-carbon-pricing-2016-report-released-late-2016>
- Wynn, G. (2016). 'The Dutch Coal Mistake: How Three Brand-New Power Plants in the Netherlands Are Already at Risk of Becoming Stranded Assets.' Cleveland: Institute for Energy Economics and Financial Analysis (IEEFA) http://ieefa.org/wp-content/uploads/2016/11/The-Dutch-Coal-Mistake_November-2016.pdf
- Zhang, C. (2017). 'China Takes Another Step to Reduce Coal-Fired Power.' *China Dialogue*, March 20. <https://www.chinadialogue.net/article/show/single/en/9678-China-takes-another-step-to-reduce-coal-fired-power>

Zhou, Y., Li, H., Wang, K. and Bi, J. (2016). 'China's Energy-Water Nexus: Spillover Effects of Energy and Water Policy.' *Global Environmental Change* 40 (September): pp. 92–100.

Chapter 6

- Aggarwal, R.K. and Chandel, S.S. (2004) 'Review of Improved Cookstoves Programme in Western Himalayan State of India'. *Biomass and Bioenergy*, 27(2):131–144. Available at: <https://www.cabdirect.org/cabdirect/abstract/20043106078> [Accessed 18 October 2017]. doi:10.1016/j.biombioe.2004.01.001
- Allen, M.R., Fuglestedt, J.S., Shine, K.P., Reisinger, A., Pierrehumbert, R.T. and Forster, P.M. (2016) 'New use of global warming potentials to compare cumulative and short-lived climate pollutants'. *Nature Climate Change*, 6:773–776. Available at: http://www.sequoiaforestkeeper.org/pdfs/attachments/Allen_et_al_on_SLCP_GWP_2016.pdf [Accessed 18 October 2017].
- Amann, M., Klimont, Z. and Wagner, F. (2013) 'Regional and Global Emissions of Air Pollutants: Recent Trends and Future Scenarios'. *Annual Review of Environment and Resources*, 38:31–55. Available at: <http://pure.iiasa.ac.at/10315/> [Accessed 18 October 2017].
- Bond, T.C., Doherty, S.J., Fahey, D.W., Forster, P.M., Berntsen, T., DeAngelo, B.J., Flanner, M.G., Ghan, S., Kärcher, B., Koch, D., Kinne, S., Kondo, Y., Quinn, P.K., Sarofim, M.C., Schultz, M.G., Schulz, M., Venkataraman, C., Zhang, H., Zhang, S., Bellouin, N., Guttikunda, S.K., Hopke, P.K., Jacobson, M.Z., Kaiser, J.W., Klimont, Z., Lohmann, U., Schwarz, J.P., Shindell, D., Storelvmo, T., Warren, S.G. and Zender, C.S. (2013) 'Bounding the role of black carbon in the climate system: A scientific assessment'. *Journal of Geophysical Research: Atmospheres*, 118(11):5380–5552. Available at: <https://experts.illinois.edu/en/publications/bounding-the-role-of-black-carbon-in-the-climate-system-a-scienti> [Accessed 18 October 2017].
- Brander, M., Sood, A., Wylie, C., Haughton, A. and Lovell, J. (2011) 'Technical Paper - Electricity-specific Emission Factors for Grid Electricity'. *Ecometrica*. Available at: <https://ecometrica.com/assets/Electricity-specific-emission-factors-for-grid-electricity.pdf> [Accessed 18 October 2017].
- CAI-Asia (2011) *Factsheet No. 17- Roadmap for Cleaner Fuels and Vehicles in Asia*. Manila: Clean Air Initiative for Asian Cities Center. Available at: http://cleanairasia.org/wp-content/uploads/portal/files/documents/16_Roadmap_to_Cleaner_Fuels_and_Vehicles_in_Asia_0.pdf [Accessed 18 October 2017].
- Cardenas, B., Maiz, P., Márquez, R.O., Munguia, J.L., Angeles, F., Baum, E. and Molina, L.T. (2012) *Determining Emissions of Black carbon, greenhouse gases and other pollutants from artisanal brick production in Mexico*. Clean Air Task Force and MCE2.
- Chambliss, S., Miller, J., Facanho, C., Minjares, R., Blumberg, K., 2013. The impact of stringent fuel and vehicle standards on premature mortality and emisisions. International Council on Clean Transportation (ICCT), Washington D.C., USA.
- Cherian, A. (2015) *Energy and Global Climate Change: Bridging the Sustainable Development Divide*. Chichester: John Wiley & Sons Ltd.
- Christian, T.J., Yokelson, R.J., Cárdenas, B., Molina, L.T., Engling, G. and Hsu, S.-C. (2010) 'Trace gas and particle emissions from domestic and industrial biofuel use and garbage burning in central Mexico'. *Atmospheric Chemistry and Physics*, 10(2):565–584. Available at: <https://www.atmos-chem-phys.net/10/565/2010/acp-10-565-2010.html> [Accessed 18 October 2017].
- Coan, J. (2012) *Vehicle emissions standards are a regulatory success story*. Fuelfix. Available at: <http://fuelfix.com/blog/2012/05/18/vehicle-emissions-standards-a-regulatory-success-story/> [Accessed 18 October 2017].
- Conrad, B.M. and Johnson, M.R. (2017) 'Field Measurements of Black Carbon Yields from Gas Flaring'. *Environmental Science and Technology*, 51(3):1893–1900. Available at: <http://pubs.acs.org/doi/abs/10.1021/acs.est.6b03690> [Accessed 18 October 2017].
- Crippa, M., Janssens-Maenhout, G., Dentener, F., Guizzardi, D., Sindelarova, K., Muntean, M., Van Dingenen, R. and Granier, C. (2016) 'Forty years of improvements in European air quality: regional policy-industry interactions with global impacts'. *Atmospheric Chemistry and Physics*, 16:3825–3841. Available at: <https://www.atmos-chem-phys.net/16/3825/2016/> [Accessed 18 October 2017].
- DieselNet (2015). *Summary of worldwide engine emission standards*. Emission Standards.
- EC-JRC/PBL (2013) *EDGAR version 4.2FT2010—Emission Database for Global Atmospheric Research*.
- Etminan, M., Myhre, G., Highwood, E. and Shine, K.P. (2016) 'Radiative forcing of carbon dioxide, methane, and nitrous oxide: A significant revision of the methane radiative forcing'. *Geophysical Research Letters*, 43:614–623. Available at: http://centaur.reading.ac.uk/68557/1/grl_etminan.pdf [Accessed 18 October 2017].
- Evans, M., Kholod, N., Malyshev, V., Tretyakova, S., Gusev, E., Yu, S. and Barinov, A. (2015) 'Black carbon emissions from Russian diesel sources: case study of Murmansk'. *Atmospheric Chemistry and Physics*, 15:8349–8359. Available at: <https://www.atmos-chem-phys.net/15/8349/2015/> [Accessed 18 October 2017].
- FAO (2013) *Mitigation of greenhouse gas emissions in livestock production –a review of technical options for non-CO₂ emissions*. Rome: Food and Agriculture Organization (FAO) of the United Nations. Available at: <http://www.fao.org/docrep/018/i3288e/i3288e.pdf> [Accessed 18 October 2017].
- GACC (2015). *Five Years of Impact 2010-2015. Our Story. Our Progress. Our Aspiration*. Washington: Global Alliance for Clean Cookstoves (GACC). Available at: <http://cleancookstoves.org/resources/reports/fiveyears.html> [Accessed 18 October 2017].
- Gasser, T., Peters, G.P., Fuglestedt, J.S., Collins, W.J., Shindell, D.T. and Ciais, P. (2017) 'Accounting for the climate-carbon feedback in emission metrics'. *Earth System Dynamics*, 8:235–253. Available at: <https://www.earth-syst-dynam.net/8/235/2017/esd-2016-55.pdf> [Accessed 18 October 2017].
- Geoffroy, O., Saint-Martin, D., Bellon, G., Voldoire, A., Olivié, D.J.L. and Tytéca, S. (2013) 'Transient Climate Response in a Two-Layer Energy-Balance Model. Part II: Representation of the Efficacy of Deep-Ocean Heat Uptake and Validation for CMIP5 AOGCMs'. *Journal of Climate*, 23:1859–1876. Available at: <http://journals.ametsoc.org/doi/ref/10.1175/JCLI-D-12-00196.1> [Accessed 18 October 2017].
- GOI (2014) *Auto Fuel Vision and Policy 2025. Report of the Expert Committee*. Government of India (GOI). Available at: <http://www.petroleum.nic.in/sites/default/files/autopol.pdf> [Accessed 18 October 2017].
- Griggs, D., M. Stafford Smith, J. Rockström, M. C. Öhman, O. Gaffney, G. Glaser and P. Shyamsundar (2014) 'An integrated framework for sustainable development goals'. *Ecology and Society*, 19(4):49. Available at: <https://www.ecologyandsociety.org/vol19/iss4/art49/> [Accessed 18 October 2017].

- Haines, A., et al. (under review) 'Short-lived climate pollutant mitigation and the sustainable development goals'. *Nature Climate Change*.
- Hoesly, R.M., Smith, S.J., Feng, L., Klimont, Z., Janssens-Maenhout, G., Pitkanen, T., Seibert, J.J., Vu, L., Andres, R.J., Bolt, R.M., Bond, T.C., Dawidowski, L., Kholod, N., Kurokawa, J.-I., Li, M., Liu, L., Lu, Z., Moura, M.C.P., O'Rourke, P.R. and Zhang, Q. (2017). 'Historical (1750–2014) anthropogenic emissions of reactive gases and aerosols from the Community Emission Data System (CEDS)'. *Geoscientific Model Development Discussions*, 1–41. Available at: <https://www.geosci-model-dev-discuss.net/gmd-2017-43/> [Accessed 18 October 2017].
- Höglund-Isaksson, L. (2017) 'Bottom-up simulations of methane and ethane emissions from global oil and gas systems 1980 to 2012'. *Environmental Research Letters*, 12(2). Available at: <http://iopscience.iop.org/article/10.1088/1748-9326/aa583e> [Accessed 18 October 2017].
- Höglund-Isaksson, L. (2012) 'Global anthropogenic methane emissions 2005–2030: technical mitigation potentials and costs'. *Atmospheric Chemistry and Physics*, 12(19):9079–9096. Available at: <https://www.atmos-chem-phys.net/12/9079/2012/acp-12-9079-2012.html> [Accessed 18 October 2017].
- Höglund-Isaksson, L., Purohit, P., Amann, M., Bertok, I., Rafaj, P., Schöpp, W. and Borcken-Kleefeld, J. (2017) 'Cost estimates of the Kigali Amendment to phase-down hydrofluorocarbons'. *Environmental Science & Policy*, 75:138–147.
- Hu, A., Xu, Y., Tebaldi, C., Washington, W.M. and Ramanathan, V. (2013) 'Mitigation of short-lived climate pollutants slows sea-level rise'. *Nature Climate Change*, 3:730–734. Available at: <http://www.nature.com/nclimate/journal/v3/n8/full/nclimate1869.html?foxtrotcallback=true> [Accessed 18 October 2017].
- Huang, K., Fu, J.S., Prikhodko, V.Y., Storey, J.M., Romanov, A., Hodson, E.L., Cresko, J., Morozova, I., Ignatieva, Y. and Cabaniss, J. (2015) 'Russian anthropogenic black carbon: Emission reconstruction and Arctic black carbon simulation'. *Journal of Geophysical Research: Atmospheres*, 120(11):306–11.
- IEA (2016) *World Energy Outlook Special Report: Energy and Air Pollution*. Paris: International Energy Agency (IEA). Available at: <https://www.iea.org/publications/freepublications/publication/WorldEnergyOutlookSpecialReport2016EnergyandAirPollution.pdf> [Accessed 18 October 2017].
- IEA (2012) *Energy Technology Perspectives 2012 - Pathways to a Clean Energy System*. Paris: International Energy Agency (IEA). Available at: https://www.iea.org/publications/freepublications/publication/ETP2012_free.pdf [Accessed 18 October 2017].
- INDC-Mexico (2015). *Intended Nationally Determined Contribution, Mexico*. Government of Mexico.
- Jacobson, A., Lam, N.L., Bond, T.C. and Hultman, N. (2013) *Black Carbon and Kerosene Lighting: An Opportunity for Rapid Action on Climate Change and Clean Energy for Development*. Washington, D.C.: The Brookings Institution. Available at: https://www.brookings.edu/wp-content/uploads/2016/06/04_climate_change_clean_energy_development_hultman.pdf [Accessed 18 October 2017].
- Karekezi, S., K. Lata, and S. T. Coelho (2006) 'Traditional biomass energy: improving its use and moving to modern energy use'. *Renewable Energy*, 1:231–261. Kholod, N., Evans, M. and Kuklinski, T. (2016) 'Russia's black carbon emissions: focus on diesel sources'. *Atmospheric Chemistry and Physics*, 16(17):11267–11281. Available at: <https://www.atmos-chem-phys.net/16/11267/2016/> [Accessed 18 October 2017].
- Klimont, Z., Kupiainen, K., Heyes, C., Purohit, P., Cofala, J., Rafaj, P., Borcken-Kleefeld, J. and Schöpp, W. (2017) 'Global anthropogenic emissions of particulate matter including black carbon'. *Atmospheric Chemistry and Physics*, 17(14):8681–8723. Available at: <https://www.atmos-chem-phys.net/17/8681/2017/> [Accessed 18 October 2017].
- Kodjak, D. (2015) *Policies to reduce fuel consumption, air pollution, and carbon emissions from vehicles in G20 nations*. Washington, D.C.: International Council on Clean Transportation (ICCT). Available at: <http://www.theicct.org/publications/policies-reduce-fuel-consumption-air-pollution-and-carbon-emissions-vehicles-g20> [Accessed 18 October 2017].
- Kondo, Y., Oshima, N., Kajino, M., Mikami, R., Moteki, N., Takegawa, N., Verma, R.L., Kajii, Y., Kato, S. and Takami, A. (2011) 'Emissions of black carbon in East Asia estimated from observations at a remote site in the East China Sea'. *Journal of Geophysical Research: Atmospheres*, 116(D16). Available at: <http://onlinelibrary.wiley.com/doi/10.1029/2011JD015637/abstract>. [Accessed 18 October 2017].
- Kurokawa, J., Ohara, T., Morikawa, T., Hanayama, S., Janssens-Maenhout, G., Fukui, T., Kawashima, K. and Akimoto, H. (2013) 'Emissions of air pollutants and greenhouse gases over Asian regions during 2000–2008: Regional Emission inventory in ASia (REAS) version 2'. *Atmospheric Chemistry and Physics*, 13(21):11019–11058. Available at: <https://www.atmos-chem-phys.net/13/11019/2013/acp-13-11019-2013.html> [Accessed 18 October 2017].
- Lam, N.L., Chen, Y., Weyant, C., Venkataraman, C., Sadavarte, P., Johnson, M.A., Smith, K.R., Brem, B.T., Arineitwe, J., Ellis, J.E. and Bond, T.C. (2012) 'Household Light Makes Global Heat: High Black Carbon Emissions From Kerosene Wick Lamps'. *Environmental Science & Technology*, 46(24):13531–13538. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/23163320> [Accessed 18 October 2017].
- Lamarque, J.-F., Bond, T.C., Eyring, V., Granier, C., Heil, A., Klimont, Z., Lee, D., Liousse, C., Mieville, A., Owen, B., Schultz, M.G., Shindell, D.T., Smith, S.J., Stehfest, E., Van Aardenne, J.A., Cooper, O.R., Kainuma, M., Mahowald, N., McConnell, J.R., Naik, V., Riahi, K. and Van Vuuren, D.P.V. (2010) 'Historical (1850–2000) gridded anthropogenic and biomass burning emissions of reactive gases and aerosols: Methodology and application'. *Atmospheric Chemistry and Physics*, 10:7017–7039.
- Lu, Z., Zhang, Q. and Streets, D.G. (2011) 'Sulfur dioxide and primary carbonaceous aerosol emissions in China and India, 1996–2010'. *Atmospheric Chemistry and Physics*, 11(18):9839–9864. Available at: <https://www.atmos-chem-phys.net/11/9839/2011/acp-11-9839-2011.html> [Accessed 18 October 2017].
- Maithel, S., Lalchandani, D., Malhotra, G., Bhanware, P., Uma, R., Ragavan, S., Athalye, V., Bindiya, K., Reddy, S., Bond, T.C., Weyant, C., Baum, E., Kim Thoa, V.T., Thu Phuong, N. and Kim Thanh, T. (2012) *Brick Kilns Performance Assessment; A Roadmap for Cleaner Brick Production in India*. Shakti Sustainable Energy Foundation and Climate Works Foundation.
- Malley, C.S., Henze, D.K., Kuynlenstierna, J.C.I., Vallack, H.W., Davila, Y., Anenberg, S.C., Turner, M.C. and Ashmore, M.R. (2017) 'Updated global estimates of respiratory mortality in adults ≥30 years of age attributable to long-term ozone exposure'. *Environmental Health Perspectives*, 125(8). Available at: <https://www.ncbi.nlm.nih.gov/pubmed/28858826> [Accessed 18 October 2017].
- MoRTH (2016) *Government decides to directly shift from BS-IV to BS-VI emission norms*. New Delhi: Ministry of Road Transport & Highways (MoRTH), Government of India.

- Myhre, G., Shindell, D., Bréon, F.M., Collins, W., Fuglestedt, J., Huang, J., Koch, D., Lamarque, J.F., Lee, D., Mendoza, B., Nakajima, T., Robock, A., Stephens, G., Takemura, T. and Zhang, H. (2013) *Anthropogenic and Natural Radiative Forcing*, in: *Climate Change 2013: The Physical Science Basis*. New York: Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press, Cambridge, United Kingdom. Available at: https://www.ipcc.ch/pdf/assessment-report/ar5/wg1/WG1AR5_Chapter08_FINAL.pdf [Accessed 18 October 2017].
- Pine, K., Edwards, R., Masera, O., Schilman, A., Marrón-Mares, A. and Riojas-Rodríguez, H., (2011) 'Adoption and use of improved biomass stoves in Rural Mexico'. *Energy for Sustainable Development*, 15(2):176–183. Available at: <https://asu.pure.elsevier.com/en/publications/adoption-and-use-of-improved-biomass-stoves-in-rural-mexico> [Accessed 18 October 2017].
- Purohit, P. and Höglund-Isaksson, L. (2017) 'Global emissions of fluorinated greenhouse gases 2005–2050 with abatement potentials and costs'. *Atmospheric Chemistry and Physics*, 17(4):2795–2816. Available at: <https://www.atmos-chem-phys.net/17/2795/2017/> [Accessed 18 October 2017].
- Rao, S., Klimont, Z., Smith, S.J., Van Dingenen, R., Dentener, F., Bouwman, L., Riahi, K., Amann, M., Bodirsky, B.L., van Vuuren, D.P., Aleluia Reis, L., Calvin, K., Drouet, L., Fricko, O., Fujimori, S., Gernaat, D., Havlik, P., Harmsen, M., Hasegawa, T., Heyes, C., Hilaire, J., Luderer, G., Masui, T., Stehfest, E., Strefler, J., van der Sluis, S. and Tavoni, M. (2017) 'Future air pollution in the Shared Socio-economic Pathways'. *Global Environmental Change*, 42:346–358.
- Riahi, K., van Vuuren, D.P., Kriegler, E., Edmonds, J., O'Neill, B.C., Fujimori, S., Bauer, N., Calvin, K., Dellink, R., Fricko, O., Lutz, W., Popp, A., Cuaresma, J.C., KC, S., Leimbach, M., Jiang, L., Kram, T., Rao, S., Emmerling, J., Ebi, K., Hasegawa, T., Havlik, P., Humpenöder, F., Da Silva, L.A., Smith, S., Stehfest, E., Bosetti, V., Eom, J., Gernaat, D., Masui, T., Rogelj, J., Strefler, J., Drouet, L., Krey, V., Luderer, G., Harmsen, M., Takahashi, K., Baumstark, L., Doelman, J.C., Kainuma, M., Klimont, Z., Marangoni, G., Lotze-Campen, H., Obersteiner, M., Tabeau, A., Tavoni, M., 2017. The Shared Socioeconomic Pathways and their energy, land use, and greenhouse gas emissions implications: An overview. *Global Environmental Change* 42, 153–168. doi:10.1016/j.gloenvcha.2016.05.009
- Rogelj, J., Schaeffer, M., Meinshausen, M., Shindell, D.T., Hare, W., Klimont, Z., Velders, G.J.M., Amann, M. and Schellnhuber, H.J. (2014) 'Disentangling the effects of CO₂ and short-lived climate forcer mitigation'. *Proceedings of the National Academy of Sciences*, 111:16325–16330. Available at: <http://pure.iiasa.ac.at/10817/> [Accessed 18 October 2017].
- Ruiz-Mercado, I., Masera, O., Zamora, H. and Smith, K.R. (2011) 'Adoption and sustained use of improved cookstoves'. *Energy Policy*, 39:7557–7566. Available at: <http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.394.2048&rep=rep1&type=pdf> [Accessed 18 October 2017].
- Sabel, C.F. and Victor, D.G. (2015) 'Governing global problems under uncertainty: making bottom-up climate policy work'. *Climatic Change*, 136:1-13. Available at: <https://ai2-s2-pdfs.s3.amazonaws.com/1e77/b22f9eafa83e6f060517ff890461ceee0a7d.pdf> [Accessed 18 October 2017].
- Saikawa, E. (2013) 'Policy Diffusion of Automobile Emission Standards: Is there a Race to the Top?' *World Politics*, 65: 1–33. Available at: <https://globalchange.mit.edu/publication/15932> [Accessed 18 October 2017].
- Schmale, J., Shindell, D., von Schneidemesser, E., Chabay, I. and Lawrence, M.G. (2014) 'Air pollution: Clean up our skies'. *Nature*, 515:335–337. Available at: <http://publications.iass-potsdam.de/pubman/faces/viewItemFullPage.jsp?itemId=escidoc%3A718905%3A4&view=EXPORT> [Accessed 18 October 2017].
- Shah, N., Wei, M., Letschert, V. and Phadke, A. (2015) *Benefits of Leapfrogging to Superefficiency and Low-Global Warming Potential Refrigerants in Room Air Conditioning*. Berkeley: Ernest Orlando Lawrence Berkeley National Laboratory.
- Shen, G., Wei, S., Wang, Wen, Zhang, Y., Ming, Y., Wang, B., Wang, R., Li, W., Shen, H., Huang, Y., Yang, Y., Wang, Wei, Wang, Xilong, Wang, Xuejun and Tao, S. (2012) 'Emission factors, size distributions, and emission inventories of carbonaceous particulate matter from residential wood combustion in rural China'. *Environmental Science & Technology*, 46:4207–4214.
- Shindell, D., Borgford-Parnell, N., Brauer, M., Haines, A., Kuylenstierna, J.C.I., Leonard, S.A., Ramanathan, V., Ravishankara, A., Amann, M. and Srivastava, L. (2017a) 'A climate policy pathway for near- and long-term benefits'. *Science*, 356:493–494. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/28473553> [Accessed 18 October 2017].
- Shindell, D., Fuglestedt, J.S. and Collins, W.J. (2017b) 'The social cost of methane: Theory and applications'. *Faraday Discussions*, 200:429-451. Available at: <http://pubs.rsc.org/en/content/articlelanding/2017/fd/c7fd00009j#!divAbstract> [Accessed 18 October 2017].
- Shindell, D., Kuylenstierna, J.C.I., Vignati, E., Van Dingenen, R., Amann, M., Klimont, Z., Anenberg, S.C., Muller, N., Janssens-Maenhout, G., Raes, F., Schwartz, J., Faluvegi, G., Pozzoli, L., Kupiainen, K., Höglund-Isaksson, L., Emberson, L., Streets, D., Ramanathan, V., Hicks, K., Oanh, N.T.K., Milly, G., Williams, M., Demkine, V. and Fowler, D. (2012) 'Simultaneously mitigating near-term climate change and improving human health and food security'. *Science*, 335:183-189. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/22246768> [Accessed 18 October 2017].
- Sinton, J.E., Smith, K.R., Peabody, J.W., Yaping, L., Xiliang, Z., Edwards, R. and Quan, G. (2004) 'An assessment of programs to promote improved household stoves in China'. *Energy for Sustainable Development*, 8:33-52.
- Smith, S.J. and Mizrahi, A. (2013) 'Near-term climate mitigation by short-lived forcers'. *Proceedings of the National Academy of Sciences*, 110(35):14202–14206. Available at: <http://www.pnas.org/content/110/35/14202.abstract> [Accessed 18 October 2017].
- Stehfest, E., Bouwman, L., Vuuren, D.P., Elzen, M.G.J., Eickhout, B. and Kabat, P. (2009) 'Climate benefits of changing diet'. *Climatic Change*, 95(1-2):83–102. Available at: <https://link.springer.com/article/10.1007/s10584-008-9534-6> [Accessed 18 October 2017].
- Stockwell, C. E., Christian, T. J., Goetz, J. D., Jayarathne, T., Bhawe, P. V., Praveen, P. S., Adhikari, S., Maharjan, R., DeCarlo, P. F., Stone, E. A., Saikawa, E., Blake, D. R., Simpson, I. J., Yokelson, R. J., and Panday, A. K.: Nepal Ambient Monitoring and Source Testing Experiment (NAMASTE): emissions of trace gases and light-absorbing carbon from wood and dung cooking fires, garbage and crop residue burning, brick kilns, and other sources, *Atmos. Chem. Phys.*, 16, 11043-11081, <https://doi.org/10.5194/acp-16-11043-2016>, 2016.
- Stohl, A., Aamaas, B., Amann, M., Baker, L.H., Bellouin, N., Bernsten, T.K., Boucher, O., Cherian, R., Collins, W., Daskalakis, N., Dusinska, M., Eckhardt, S., Fuglestedt, J.S., Harju, M., Heyes, C., Hodnebrog, Ø., Hao, J., Im, U., Kanakidou, M., Klimont, Z., Kupiainen, K., Law, K.S., Lund, M.T., Maas, R., MacIntosh, C.R., Myhre, G., Myriokefalitakis, S., Olivie, D., Quaas, J., Quennehen, B., Raut, J.-C., Rumbold, S.T., Samset, B.H., Schulz, M., Seland, Ø., Shine, K.P., Skeie, R.B., Wang, S., Yttri, K.E. and Zhu, T. (2015) 'Evaluating the climate and air quality impacts of short-lived pollutants'. *Atmospheric Chemistry and Physics*, 15(18):10529-10566. Available at: <https://www.atmos-chem-phys.net/15/10529/2015/acp-15-10529-2015.html> [Accessed 18 October 2017].

- Stohl, A., Klimont, Z., Eckhardt, S., Kupiainen, K., Shevchenko, V.P., Kopeikin, V.M. and Novigatsky, A.N. (2013) 'Black carbon in the Arctic: the underestimated role of gas flaring and residential combustion emissions'. *Atmospheric Chemistry and Physics*, 13(17):8833-8855. Available at: <https://www.atmos-chem-phys.net/13/8833/2013/acp-13-8833-2013.html> [Accessed 18 October 2017].
- Thomas, E., Wickramasinghe, K., Mendis, S., Roberts, N. and Foster, C. (2015) 'Improved stove interventions to reduce household air pollution in low and middle income countries: a descriptive systematic review'. *BMC Public Health*, 15:650. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/26169364> [Accessed 18 October 2017].
- UNEP/WMO (2011) *Integrated Assessment of Black Carbon and Tropospheric Ozone*. Nairobi: United Nations Environment Programme (UNEP) and World Meteorological Organization (WMO). Available at: <https://wedocs.unep.org/rest/bitstreams/12809/retrieve> [Accessed 18 October 2017].
- US EPA (2017) *History of Reducing Air Pollution from Transportation in the United States (U.S.)*. Washington, DC: United States Environmental Protection Agency (USEPA). Available at: <https://www.epa.gov/air-pollution-transportation/accomplishments-and-success-air-pollution-transportation> [Accessed 18 October 2017].
- US EPA (2013) *Global Mitigation of Non-CO₂ Greenhouse Gases: 2010-2030*. Washington, DC: United States Environmental Protection Agency (USEPA). Available at: <https://nepis.epa.gov/Exe/ZyNET.exe/P100GYHT.TXT?ZyActionD=ZyDocument&Client=EPA&Index=2011+Thru+2015&Docs=&Query=&Time=&EndTime=&SearchMethod=1&TocRestrict=n&Toc=&TocEntry=&QField=&QFieldYear=&QFieldMonth=&QFieldDay=&IntQFieldOp=0&ExtQFieldOp=0&XmlQuery=&File=D%3A%5Czyfiles%5CIndex%20Data%5C11thru15%5CTxt%5C00000008%5CP100GYHT.txt&User=ANONYMOUS&Password=anonymous&SortMethod=h%7C-&MaximumDocuments=1&FuzzyDegree=0&ImageQuality=r75g8/r75g8/x150y150g16/i425&Display=hpfr&DefSeekPage=x&SearchBack=ZyActionL&Back=ZyActionS&BackDesc=Results%20page&MaximumPages=1&ZyEntry=1&SeekPage=x&ZyPURL> [Accessed 18 October 2017].
- US EPA (2012) *Global Anthropogenic Non-CO₂ Greenhouse Gas Emissions: 1990 – 2030*. Washington, DC: United States Environmental Protection Agency (EPA). Available at: https://www.epa.gov/sites/production/files/2016-08/documents/epa_global_nonco2_projections_dec2012.pdf [Accessed 18 October 2017].
- US EPA (2002) *Building owners save money, save the Earth: replace your CFC air conditioning chiller*. Washington, DC: United States Environmental Protection Agency (EPA). Available at: <https://nepis.epa.gov/Exe/ZyNET.exe/00000LZT.TXT?ZyActionD=ZyDocument&Client=EPA&Index=2000+Thru+2005&Docs=&Query=&Time=&EndTime=&SearchMethod=1&TocRestrict=n&Toc=&TocEntry=&QField=&QFieldYear=&QFieldMonth=&QFieldDay=&IntQFieldOp=0&ExtQFieldOp=0&XmlQuery=&File=D%3A%5Czyfiles%5CIndex%20Data%5C00thru05%5CTxt%5C00000004%5C00000LZT.txt&User=ANONYMOUS&Password=anonymous&SortMethod=h%7C-&MaximumDocuments=1&FuzzyDegree=0&ImageQuality=r75g8/r75g8/x150y150g16/i425&Display=hpfr&DefSeekPage=x&SearchBack=ZyActionL&Back=ZyActionS&BackDesc=Results%20page&MaximumPages=1&ZyEntry=1&SeekPage=x&ZyPURL> [Accessed 18 October 2017].
- Velders, G.J.M., Fahey, D.W., Daniel, J.S., Andersen, S.O. and McFarland, M. (2015) 'Future atmospheric abundances and climate forcings from scenarios of global and regional hydrofluorocarbon (HFCs) emissions'. *Atmospheric Environment*, 123:200-209. Available at: <http://www.sciencedirect.com/science/article/pii/S135223101530488X> [Accessed 18 October 2017].
- Velders, G.J.M., Solomon, S. and Daniel, J.S. (2014) 'Growth of climate change commitments from HFC banks and emissions'. *Atmospheric Chemistry and Physics*, 14(9):4563-4572. Available at: <https://www.atmos-chem-phys.net/14/4563/2014/> [Accessed 18 October 2017].
- Venkataraman, C., Sagar, A.D., Habib, G. and Smith, K.R. (2010) 'The Indian National Initiative for Advanced Biomass Cookstoves: The benefits of clean combustion'. *Energy for Sustainable Development*, 14:63-72. Available at: <http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.648.7301&rep=rep1&type=pdf> [Accessed 18 October 2017].
- Victor, D.G., Zaelke, D., Ramanathan, V., 2015. Soot and short-lived pollutants provide political opportunity. *Nature Clim. Change* 5, 796–798. doi:10.1038/nclimate2703
- Wang, R., Tao, S., Shen, H., Huang, Y., Chen, H., Balkanski, Y., Boucher, O., Ciais, P., Shen, G., Li, W., Zhang, Y., Chen, Y., Lin, N., Su, S., Li, B., Liu, J. and Liu, W. (2014) 'Trend in global black carbon emissions from 1960 to 2007'. *Environmental Science & Technology*, 48:6780-6787. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/24825392> [Accessed 18 October 2017].
- Weyant, C., Athalye, V., Ragavan, S., Rajarathnam, U., Lalchandani, D., Maithel, S., Baum, E. and Bond, T.C. (2014) 'Emissions from South Asian Brick Production'. *Environmental Science & Technology*, 48:6477-6483. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/24735080> [Accessed 18 October 2017].
- Weyant, C.L., Shepson, P.B., Subramanian, R., Cambaliza, M.O.L., Heimbürger, A., McCabe, D., Baum, E., Stirm, B.H. and Bond, T.C. (2016) 'Black Carbon Emissions from Associated Natural Gas Flaring'. *Environmental Science & Technology*, 50:2075-2081. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/26764563> [Accessed 18 October 2017].
- WHO (2016) *Burning Opportunity: Clean Household Energy for Health, Sustainable Development, and Wellbeing of Women and Children*. Geneva: World Health Organization (WHO). Available at: http://apps.who.int/iris/bitstream/10665/204717/1/9789241565233_eng.pdf [Accessed 18 October 2017].
- Wickramasinghe, A. (2011). 'Energy access and transition to cleaner cooking fuels and technologies in Sri Lanka: Issues and policy limitations'. *Energy Policy*, 39:7567-7574. Available at: <http://agris.fao.org/agris-search/search.do?recordID=US201600071626> [Accessed 18 October 2017].
- Wiedinmyer, C., Yokelson, R.J. and Gullett, B.K. (2014) 'Global Emissions of Trace Gases, Particulate Matter, and Hazardous Air Pollutants from Open Burning of Domestic Waste'. *Environmental Science & Technology*, 48:9523-9530. Available at: <http://pubs.acs.org/doi/abs/10.1021/es502250z> [Accessed 18 October 2017].
- Winiger, P., Andersson, A., Eckhardt, S., Stohl, A., Semiletov, I.P., Dudarev, O.V., Charkin, A., Shakhova, N., Klimont, Z., Heyes, C. and Gustafsson, Ö. (2017) 'Siberian Arctic black carbon sources constrained by model and observation'. *Proceeding of the National Academy of Sciences*, 114:E1054–E1061. Available at: <https://www.ncbi.nlm.nih.gov/pubmed/28137854> [Accessed 18 October 2017].
- Xu, Y. and Ramanathan, V. (2017) 'Well below 2°C: Mitigation strategies for avoiding dangerous to catastrophic climate changes'. *Proceedings of the National Academy of Sciences*, 114: 10315-10323. Available at: <http://www.pnas.org/content/114/39/10315.abstract> [Accessed 18 October 2017].

- Xu, Y., Zaelke, D., Velders, G.J.M. and Ramanathan, V. (2013) 'The role of HFCs in mitigating 21st century climate change'. *Atmospheric Chemistry and Physics*, 13:6083-6089. Available at: <https://www.atmos-chem-phys.net/13/6083/2013/> [Accessed 18 October 2017].
- Zeiger, B., Gschrey, B. and Schwarz, W. (2014) *Alternatives to HCFCs/HFCs in developing countries with a focus on high ambient temperatures*. Frankfurt/Main: Öko-Recherche.

Chapter 7

- Aertsens, J., De Nocker, L., & Gobin, A. (2013). Valuing the carbon sequestration potential for European agriculture. *Land Use Policy*, 31, 584-594.
- American Physics Society Panel on Public Affairs (2011) *Direct Air Capture of CO₂ Using Chemicals*, 87 p. <https://www.aps.org/policy/reports/assessments/upload/dac2011.pdf>
- Anderson K., Peters G, 2016, The trouble with negative emissions, *Science*, 354/6309, pp 182-183, DOI: 10.1126/science.aah4567
- Aresta (2010): *Carbon dioxide as chemical feedstock*, Wiley, Weinheim.
- Aresta (2013): M. Aresta, A. Dibenedetto & A. Angelini: The changing paradigm in CO₂ utilization, *Journal of CO₂ Utilization*, 3, 65-73.
- Basso, A.S., Miguez, F.E., Laird, D.A., et al. (2013). Assessing potential of biochar for increasing water-holding capacity of sandy soils. *GCB Bioenergy*, 5(2), pp.132-143.
- Benanti, G., Saunders, M., Tobin, B., & Osborne, B. (2014). Contrasting impacts of afforestation on nitrous oxide and methane emissions. *Agricultural and forest meteorology*, 198, 82-93.
- Benson, S. M., and Coauthors, 2012: Chapter 13 - Carbon Capture and Storage. Cambridge University Press, Cambridge, UK and New York, NY, USA and the International Institute for Applied Systems Analysis, Laxenburg, Austria, 993–1068 www.globalenergyassessment.org.
- Berthrong, S. T., Jobbagy, E. G., & Jackson, R. B. (2009). A global meta-analysis of soil exchangeable cations, pH, carbon, and nitrogen with afforestation. *Ecological Applications*, 19(8), 2228-2241.
- Bozzi, E., Genesio L., Toscano P, Pieri M, Miglietta F, 2015 Mimicking biochar-albedo feedback in complex Mediterranean landscapes, *Envir. Res. Letters* 10/084014
- Bright, R. M., K. Zhao, R. B. Jackson, and F. Cherubini, 2015: Quantifying surface albedo and other direct biogeophysical climate forcings of forestry activities. *Glob. Chang. Biol.*, 21, 3246–3266, doi:10.1111/gcb.12951.
- Bruhn et al. (2016): T. Bruhn, H. Naims, B. Olfe-Kräutlein: Separating the debate on CO₂ utilisation from carbon capture and storage', *Environmental Science & Policy*, 60, 38-43.
- Buck, H. J., 2016, Rapid scale-up of negative emissions technologies: social barriers and social implications, *Clim. Change*, (2016) 139: 155. Doi:10.1007/s10584-016-1770-6
- Cayuela, M.L., Jeffery, S, and Van Zwieten L, (2015). The molar H:Corg ratio of biochar is a key factor in mitigating N2O emissions from soil. *Agriculture Ecosystems and Environment* 202, 135-138.
- Center for Carbon Removal, 2015, Direct Air Capture explained in 10 questions, <http://www.centerforcarbonremoval.org/blog-posts/2015/9/20/direct-air-capture-explained-in-10-questions>
- Center for Carbon Removal, 2017, Carbon removal policies: opportunity for federal action, 39p. <http://www.centerforcarbonremoval.org/s/Carbon-Removal-Policy-Opportunities-for-Action.pdf>
- Chamberlain TC, 1899, "An Attempt to Frame a Working Hypothesis of the Cause of Glacial Periods on an Atmospheric Basis". *Journal of Geology*. 7: 575, 667, 751
- Chiang PC., Pan SY., 2017, CO₂ Mineralization and Utilization via Accelerated Carbonation. In: *Carbon Dioxide Mineralization and Utilization*. Springer, Singapore https://doi.org/10.1007/978-981-10-3268-4_3
- Clarke, L., K. Jiang, K. Akimoto, M. Babiker, G. Blanford, K. Fisher-Vanden, J.-C. Hourcade, V. Krey, E. Kriegler, A. Löschel, D. McCollum, S. Paltsev, S. Rose, P. R. Shukla, M. Tavoni, B. van der Zwaan, and D. P. van Vuuren. 2014. Assessing Transformation Pathways. In *Climate Change 2014: Mitigation of Climate Change. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* [Edenhofer, O., R. Pichs-Madruga, Y. Sokona, E. Farahani, S. Kadner, K. Seyboth, A. Adler, I. Baum, S. Brunner, P. Eickemeier, B. Kriemann, J. Savolainen, S. Schlömer, C. von Stechow, T. Zwickel and J.C. Minx (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.
- CLCF (2011): The Centre for Low Carbon Futures, Carbon Capture and Utilisation in the green economy: Using CO₂ to manufacture fuel, chemicals and materials. http://www.policyinnovations.org/ideas/policy_library/data/01612/_res/id=sa_File1/CCU.pdf
- CO₂Sciences, 2016, Global Roadmap for Implementing CO₂ Utilization, Innovation for Cool Earth Forum, 61p, https://assets.contentful.com/xg0gv1arhdr3/27vQZEvrxaQiQEAsGyoSQu/44ee0b72ceb9231ec53ed180cb759614/CO2U_ICEF_Roadmap_FINAL_2016_12_07.pdf
- Coninck, H. De, and S. M. Benson, 2014: Carbon Dioxide Capture and Storage: Issues and Prospects. *Annu. Rev. Environ. Resour.*, 39, 243–70, doi:10.1146/annurev-environ-032112-095222.
- Creutzig, F., Ravindranath, N. H., Berndes, G., Bolwig, S., Bright, R., Cherubini, F., ... Masera, O. (2015). Bioenergy and climate change mitigation: an assessment. *GCB Bioenergy*, 7(5), 916–944. <https://doi.org/10.1111/gcbb.12205>
- de Best-Waldhober, M., D. Daamen, and A. Faaij, 2009: Informed and uninformed public opinions on CO₂ capture and storage technologies in the Netherlands. *Int. J. Greenh. Gas Control*, 3, 322–332, doi:10.1016/j.ijggc.2008.09.001.
- De Coninck, H., Benson, S. (2014). Carbon Dioxide Capture and Storage: Issues and Prospects. *Annu. Rev. Environ. Resour.* 2014. 39:243–70.
- Diaz, D., Hamilton, K., Johnson, E., 2011. State of the Forest Carbon Markets 2011: From Canopy to Currency. Ecosystem Marketplace Report. Forest Trends, Washington, DC.
- Field, C. B., & Mach, K. J. (2017). Rightsizing carbon dioxide removal. *Science*, 356(6339), 706-707.
- Frank, S., H. Böttcher, P. Havlík, H. Valin, A. Mosnier, M. Obersteiner, E. Schmid, and B. Elbersen, 2013: How effective are the sustainability criteria accompanying the European Union 2020 biofuel targets? *GCB Bioenergy*, 5, 306–314, doi:10.1111/j.1757-1707.2012.01188.x. <http://doi.wiley.com/10.1111/j.1757-1707.2012.01188.x> (Accessed July 6, 2017).

- Fuss, S. 2017. The 1.5C target, political implications, and the role of BECCS. Oxford Research Encyclopedia of Climate Science/Climate Science, DOI: 10.1093/acrefore/9780190228620.013.585
- Fuss, S., and Coauthors, 2016: Research priorities for negative emissions. *Environ. Res. Lett.*, 11, 115007, doi:10.1088/1748-9326/11/11/115007.
- Fuss, S., J. G. Canadell, G. P. Peters, M. Tavoni, R. M. Andrew, P. Ciais, R. B. Jackson, C. D. Jones, F. Kraxner, N. Nakicenovic, C. Le Que- re, M. R. Raupach, A. Sharifi, P. Smith, and Y. Yamagata. 2014. Betting on negative emissions. *Nature Clim. Change* 4(10): 850-853.
- Genesisio, L., Miglietta, F., Lugato, E., Baronti, S., Pieri, M., Vaccari, F.P. (2012) Surface albedo following biochar application in durum wheat. *Environmental Research Letters* (2012): 1-8. *IOP Science*. <http://iopscience.iop.org/1748-9326/7/1/014025>.
- Global CCS Institute, 2016, The Global Status of CCS, 2016: Summary Report, Australia, <https://hub.globalccsinstitute.com/sites/default/files/publications/201158/global-status-ccs-2016-summary-report.pdf>
- Griscom, B.W., Adams, J., Ellis, P., Houghton, R.A., Lomax, G., Miteva, D.A., Schlesinger, W.H., Shoch, D., Siikamäki, J., Woodbury, P., Zganjar, C., Blackman, A., Campari, J., Conant, R.T., Delgado, C., Elias, P., Hamsik, M., Kiesecker, J., Landis, E., Polasky, S., Potapov, P., Putz, F.E., Sanderman, J., Silvius, M., Smith, P., Wollenberg, E. & Fargione, J. 2017. Natural pathways to climate mitigation. *Proceedings of the National Academy of Sciences, USA* (in press).
- Hamilton, K., Chokkalingam, U., Bendana, M., 2010. State of the Forest Carbon Markets 2009: Taking Root and Branching Out. *Eco- system Marketplace Report*. Forest Trends, Washington, DC.
- Hartmann J., West A.J., Renforth P, Kohler P, DeLaRocha C.L., Wolf-Gladrow D.A., Durr H.H., Scheffran J, 2013, Enhanced chemical weathering as a geoengineering strategy to reduce atmospheric carbon dioxide, supply nutrients, and mitigate ocean acidifica- tion, *Reviews in Geophysics* 51(2) pp 113-149, DOI: 10.1002/rog.20004
- Havlík, P., and Coauthors, 2011: Global land-use implications of first and second generation biofuel targets. *Energy Policy*, 39, 5690–5702, doi:10.1016/j.enpol.2010.03.030.
- Henderson G., Rickaby R., Bouman H., 2008, Decreasing atmospheric CO₂ by increasing ocean alkalinity, https://www.earth.ox.ac.uk/~gideonh/reports/Cquestrate_report.pdf
- Houghton, R. A., Byers, B., & Nassikas, A. A. (2015). A role for tropical forests in stabilizing atmospheric CO₂. *Nature Climate Change*, 5(12), 1022-1023.
- House KZ, House CH, Schrag DP, Aziz MJ (2007) Electrochemical acceleration of chemical weathering as an energetically feasible approach to mitigating anthropo- genic climate change. *Environ Sci Technol* 41(24):8464–8470
- Hu, S., Niu, Z., Chen, Y., Li, L., Zhang, H. (2017). Global wetlands: potential distribution, wetland loss, and status. *Science of the Total Environment* 586: 319-327.
- ICEF, 2017, Carbon Dioxide Utilization (CO₂U): ICEF Roadmap 1.0,
- International Energy Agency, 2017, Energy Technology Perspectives 2017. Catalysing Energy Technology Transformations, Paris (ISBN 978-92-64-27050-3)
- IPCC 2014, 2013 Supplement to the 2006 IPCC Guidelines for National Greenhouse Gas Inventories: Wetlands, Hiraishi, T., Krug, T., Tanabe, K., Srivastava, N., Baasansuren, J., Fukuda, M. and Troxler, T.G. (eds). Published: IPCC, Switzerland.
- IPCC, 2005 - Bert Metz, Ogunlade Davidson, Heleen de Coninck, Manuela Loos and Leo Meyer (Eds.). Cambridge University Press, UK. pp 431. https://www.ipcc.ch/pdf/special-reports/srccs/srccs_wholereport.pdf
- IPCC. 2014. Climate Change 2014: Synthesis Report. Contribution of Working Groups I, II and III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. Geneva, Switzerland: IPCC.
- Jones, A. D., K. V. Calvin, W. D. Collins, and J. Edmonds, 2015: Accounting for radiative forcing from albedo change in future global land-use scenarios. *Clim. Change*, 131, 691–703, doi:10.1007/s10584-015-1411-5.
- Joseph, S., Graber, E.R., Chia, C., Munroe, P., Donne, S., Thomas, T., Nielsen, S., Marjo, C., Rutledge, H., Pan, G.X. and Li, L., 2013. Shifting paradigms: development of high-efficiency biochar fertilizers based on nano-structures and soluble components. *Carbon Management*, 4(3), pp.323-343.)
- Keith, D.W. 2017. Toward a Responsible Solar Geoengineering Research Program. *Issues in Science and Technology* 33(3), 71-77.
- Keith, D.W., Ha-Duong M., Stolaroff J.K., 2006, Climate Strategy with CO₂ Capture from the Air, *Climate Change*, v.74 17-45, DOI: 10.1007/s10584-005-9026-x
- Kelemen PB, Matter J, 2008, In situ carbonation of peridotite for CO₂ storage. *PNAS* 105(45) pp 17295–17300
- Kemper, J., 2015: Biomass and carbon dioxide capture and storage: A review. *Int. J. Greenh. Gas Control*, 40, 401–430, doi:10.1016/j.ijggc.2015.06.012.
- Kheshgi, H. S. 1995. Sequestering atmospheric carbon dioxide by increasing ocean alkalinity. *Energy*, 20(9), 915-922.
- Kimaro, A.A., Isaac, M.E. & Chamshama, S.A.O. (2011) Carbon pools in tree biomass and soils under rotational woodlot systems in Eastern Tanzania. In: "Carbon Sequestration Potential of Agroforestry Systems", ed. Kumar, B.M. & Nair, P.K.R., Springer, Dor- drecht, NL. pp. 129-143.
- Kirschbaum, M. U. F., Whitehead, D., Dean, S. M., Beets, P. N., Shepherd, J. D., & Ausseil, A. G. (2011). Implications of albedo changes following afforestation on the benefits of forests as carbon sinks. *Biogeosciences*, 8(12), 3687.
- Lackner K.S., Ziock H., Grimes P., 1999, Carbon Dioxide Extraction from Air: Is It an Option? In Proceedings of the 24th Annual Tech- nical Conference on Coal Utilization & Fuel Systems, Clearwater, FL.; pp 885– 896
- Lackner KS, Wendt CH, Butt DP, Joyce EL, Sharp DH (1995) Carbon dioxide disposal in carbonate minerals, *Energy* 11(20) pp. 1153- 1170
- Lal, R (2011) Sequestering carbon in soils of agro-ecosystems. *Food Policy* 36, Supplement 1, pp. S33-S39
- Lal, R. (2013) Intensive Agriculture and the Soil Carbon Pool. *Journal of Crop Improvement*, 27(6), pp.735-751
- Lassiter III J.B., Misra S., 2016, Carbon Engineering, Harvard Business School case study, 9-814-040.
- Lehmann J., Czimczik, C., Laird, D., Sohi, S. (2015) Stability of biochar in soil. In: *Biochar for Environmental Management: Science, Technology and Implementation* (eds. Lehmann, J., Joseph, S.), pp. 235-282, Taylor and Francis, London, UK.
- Lehmann, J. and Joseph, S. (2009) *Biochar for Environmental Management: Science and Technology*. Earthscan Books Ltd., London, UK.

- Lenton, T. M. (2014) The Global Potential for Carbon Dioxide Removal. In *Geoengineering of the Climate System* (eds Harrison, R. M. and Hester, R. E.), Royal Society of Chemistry, 2014, pp. 52-79.
- Li, D., Niu, S., and Luo, Y. (2012). Global patterns of the dynamics of soil carbon and nitrogen stocks following afforestation: a meta-analysis. *New Phytologist*, 195(1), 172-181.
- Lomax, G., M. Workman, T. Lenton, N. Shah, 2015, Reframing the policy approach to greenhouse gas removal technologies, *Energy Policy*, 78 (2015) 125–136, doi:10.1016/j.enpol.2014.10.002
- Marshall C., 2017, “In Switzerland, a giant new machine is sucking carbon directly from the air”, *E&E News*, June 1 (reprinted in *Science*: doi:10.1126/science.aan6915)
- McDonough W., 2016, Carbon is not the Enemy, *Nature* 539, pp 349-351
- McLaren, D., 2012: A comparative global assessment of potential negative emissions technologies. *Spec. Issue Negat. Emiss. Technol.*, 90, 489–500, doi:10.1016/j.psep.2012.10.005.
- Miles L. and Sonwa D.J. et al. 2015 UNEP Emissions Gap Report, Chapter 6: Mitigation potential from forest-related activities and incentives for enhanced action in developing countries
- Minasny, B. et al. (2017) Soil carbon 4 per mille. *Geoderma* 292 (2017)59–86
- Minx, J.C.; Lamb, W.; Callaghan, M.; Bornmann, L.; Fuss, S. 2017. Fast growing research on negative emissions. *Envir. Res. Letters* 12/035007
- Mitsch, William J., et al. (2012). Wetlands, carbon, and climate change. *Landscape Ecology* 28.4: 583-597.
- Monfreda, C., N. Ramankutty, and J. A. Foley, 2008: Farming the planet: 2. Geographic distribution of crop areas, yields, physiological types, and net primary production in the year 2000. *Global Biogeochem. Cycles*, 22, doi:10.1029/2007GB002947.
- Monkman S., MacDonald M., 2015, Case studies for CO₂ utilization in concrete, *Spec. Publication 303*, American Concrete Institute, pp. 33-44
- Naims (2016): H. Naims, Economics of carbon dioxide capture and utilization - A supply and demand perspective. *Environmental Science and Pollution Research*, 1-16.
- NERC, 2017, Greenhouse Gas Removal from the Atmosphere, Program Overview, <http://www.nerc.ac.uk/research/funded/programmes/ggr/#xcollapse2>
- Nielsen, Anne Sofie Elburg; Plantinga, Andrew J.; Alig, Ralph J. 2014. New cost estimates for carbon sequestration through afforestation in the United States. *Gen. Tech. Rep. PNW-GTR-888*. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 35 p.
- Page S.E., Hooijer A. 2016 In the line of fire: the peatlands of Southeast Asia. *Phil. Trans. R. Soc. B* 371: 20150176. <http://dx.doi.org/10.1098/rstb.2015.0176>
- Parish, F., Sirin, A., Charman, D.J., Joosten, H., Minayeva, T., Silvius, M., Stringer, L. (2008). Assessment on Peatlands, Biodiversity and Climate Change: Main Report. Global Environment Centre, Kuala Lumpur and Wetlands International, Wageningen.
- Peters, G. P., R. M. Andrew, J. G. Canadell, S. Fuss, R. B. Jackson, J. I. I. Korsbakken, C. Le Quéré, and N. Nakicenovic, 2017: Key indicators to track current progress and future ambition of the Paris Agreement. *Nat. Clim. Chang.*, 7, 118–122, doi:10.1038/nclimate3202.
- Peters, G.P., O. Geden, 2017: Catalysing a political shift from low to negative carbon. *Nat. Clim. Chang.*, 7, 619–621, doi:10.1038/nclimate3369.
- Plevin, R. J., M. O'Hare, A. D. Jones, M. S. Torn, and H. K. Gibbs, 2010: Greenhouse Gas Emissions from Biofuels' Indirect Land Use Change Are Uncertain but May Be Much Greater than Previously Estimated. *Environ. Sci. Technol.*, 44, 8015–8021, doi:10.1021/es101946t. <http://pubs.acs.org/globalproxy.cvt.dk/doi/full/10.1021/es101946t>.
- Popp, A., Krause, M., Dietrich, J. P., Lotze-Campen, H., Leimbach, M., Beringer, T., & Bauer, N. (2012). Additional CO₂ emissions from land use change — Forest conservation as a precondition for sustainable production of second generation bioenergy. *Ecological Economics*, 74, 64–70. <https://doi.org/10.1016/j.ecolecon.2011.11.004>
- Powlson, DS, Stirling, CM, Jat, ML, Gerard, BG, Palm, CA, Sanchez, PA, Cassman, KG (2014) Limited potential of no-till agriculture for climate change mitigation. *Nature Climate Change* 4, 678–683 (2014) doi:10.1038/nclimate2292
- Rau G., Knauss K.G., Lander W.H., Caldeira K., 2004, CO₂ mitigation via accelerated limestone weathering, *Am. Chem. Soc., Div. Fuel Chem.* 2004, 49 (1), 376
- Rau GH, Knauss KG, Langer WH, Caldeira K, 2007, Reducing energy-related CO₂ emissions using accelerated weathering of limestone, *Energy* 32, pp. 1471-1477, DOI: 10.1016/j.energy.2006.10.011
- Raymo, M.E., 1991, Geochemical evidence supporting T.C. Chamberlain's theory of glaciation, *Geology* 19(4) 344-347 [https://doi.org/10.1130/0091-7613\(1991\)019<0344:GESTCC>2.3.CO;2](https://doi.org/10.1130/0091-7613(1991)019<0344:GESTCC>2.3.CO;2)
- Renforth P, Kruger T, 2013, Coupling mineral carbonation and ocean liming, *Energy Fuels* 27(8), pp. 4199-4207 DOI: 10.1021/ef302030w
- Renforth P., Henderson G., 2017, Assessing ocean alkalinity for carbon sequestration, *Reviews in Geophysics* 55, 10.1002/2016RG000533
- Rogelj, J., G. Luderer, R. C. Pietzcker, E. Kriegler, M. Schaeffer, V. Krey, and K. Riahi. 2015. Energy system transformations for limiting end-of-century warming to below 1.5 [deg]C. *Nature Clim. Change* 5(6): 519-527.
- Rogelj, J., M. den Elzen, N. Höhne, T. Fransen, H. Fekete, H. Winkler, R. Schaeffer, F. Sha, K. Riahi, and M. Meinshausen. 2016. Paris Agreement climate proposals need a boost to keep warming well below 2°C. *Nature* 534(7609): 631-639.
- Royal Society 2009. *Geoengineering the climate Science, governance and uncertainty*. Royal Society Policy document 10/09 Issued: September 2009 RS1636. ISBN: 978-0-85403-773-5.
- Sanz-Perez E.S., Murdock C.R., Didas S.A., Jones C.W., 2016, Direct Air Capture of CO₂ from Ambient Air, *Chem. Rev.*, v. 116 (19), pp 11840-11876

- Schäfer, S.; Lawrence, M.; Stelzer, H.; Born, W.; Low, S.; Aaheim, A.; Adriázola, P.; Betz, G.; Boucher, O.; Carius, A.; Devine-Right, P.; Gullberg, A. T.; Haszeldine, S.; Haywood, J.; Houghton, K.; Ibarrola, R.; Irvine, P.; Kristjansson, J.-E.; Lenton, T.; Link, J. S. A.; Maas, A.; Meyer, L.; Muri, H.; Oschlies, A.; Proelß, A.; Rayner, T.; Rickels, W.; Ruthner, L.; Scheffran, J.; Schmidt, H.; Schulz, M.; Scott, V.; Shackley, S.; Tänzler, D.; Watson, M.; Vaughan, N., 2015, The European Transdisciplinary Assessment of Climate Engineering (EuTRACE): Removing Greenhouse Gases from the Atmosphere and Reflecting Sunlight away from Earth. http://www.iass-potsdam.de/sites/default/files/files/eutrace_report_digital_second_edition_0.pdf
- Scott, V., R. S. Haszeldine, S. F. B. Tett, and A. Oschlies, 2015: Fossil fuels in a trillion tonne world. *Nat. Clim. Chang.*, 5, 419–423.
- Searchinger, T. D., and Coauthors, 2009: Fixing a Critical Climate Accounting Error. *Science* (80-.), 326, 527–528, doi:10.1126/science.1178797.
- Slade, R., A. Bauen, and R. Gross, 2014: Global bioenergy resources. *Nat. Clim. Chang.*, 4, 99–105.
- Smith, P. (2012) Soils and climate change. *Current Opinion in Environmental Sustainability* 4, 539–544.
- Smith P., Bustamante, M., Ahammad, H., Clark, H., Dong, H., Elsiddig, E.A., Haberl, H., Harper, R., House, J., Jafari, M., Masera, O., Mbow, C., Ravindranath, N.H., Rice, C.W., Robledo Abad, C. Romanovskaya, A., Sperling, F. & Tubiello, F. (2014) Agriculture, Forestry and Other Land Use (AFOLU). In: "Climate Change 2014: Mitigation of Climate Change. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change" pp. 811-922 (ed. Edenhofer, O., R. Pichs-Madruga, Y. Sokona, E. Farahani, S. Kadner, K. Seyboth, A. Adler, I. Baum, S. Brunner, P. Eickemeier, B. Kriemann, J. Savolainen, S. Schlömer, C. von Stechow, T. Zwickel & J. Minx). Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.
- Smith, P. (2016) Soil carbon sequestration and biochar as negative emission technologies. *Global Change Biology* 22, 1315–1324.
- Smith, P., and Coauthors, 2016: Biophysical and economic limits to negative CO₂ emissions. *Nat. Clim. Chang.*, 6, 42–50, doi:10.1038/nclimate2870.
- Smith, P., Gregory, P., van Vuuren, D. *et al.* (2010) Competition for land. *Philosophical Transactions of the Royal Society, B*. 365, 2941-2957.
- Smith, P., Martino, D., Cai, Z., Gwary, D., Janzen, H., Kumar, P., McCarl, B., Ogle, S., O'Mara, F., Rice, C., Scholes, B., Sirotenko, O., Howden, M., McAllister, T., Pan, G., Romanenkov, V., Schneider, U., Towprayoon, S., Wattenbach, M., Smith, J. (2008). Greenhouse gas mitigation in agriculture. *Philosophical transactions of the Royal Society, Series B* 363(1492), 789–813.
- Taylor, L.L., Quirk, J., Thorley, R.M.S. *et al.*, 2016. *Nature Climate Change*, 6, 402-406.
- The Economist, 2017, Electrifying Everything, *Economist Magazine*, Aug. 12th
- Trabucco, A., Zomer, R. J., Bossio, D. A., van Straaten, O., & Verchot, L. V. (2008). Climate change mitigation through afforestation/reforestation: a global analysis of hydrologic impacts with four case studies. *Agriculture, ecosystems & environment*, 126(1), 81-97.
- Upham, P., and T. Roberts, 2011: Public perceptions of CCS: Emergent themes in pan-European focus groups and implications for communications. *Int. J. Greenh. Gas Control*, 5, 1359–1367, doi:10.1016/j.ijggc.2011.06.005.
- USNAS 2015a. *Climate Intervention: Carbon Dioxide Removal and Reliable Sequestration*. US National Academy of Sciences, Washington D.C.
- USNAS 2015b. *Climate Intervention: Reflecting Sunlight to Cool Earth*. US National Academy of Sciences, Washington D.C.
- van Vuuren, D. P., S. Deetman, J. van Vliet, M. van den Berg, B. J. van Ruijven, and B. Koelbl. 2013. The role of negative CO₂ emissions for reaching 2°C—insights from integrated assessment modelling. *Climatic Change* 118(1): 15-27.
- von der Assen, N., Jung, J. & Bardow, A. (2013) Life-cycle assessment of carbon dioxide capture and utilization: avoiding the pitfalls. *Energy Environ. Sci.*, 6, 2721-2734.
- Wallquist, L., S. L. O. Seigo, V. H. M. Visschers, and M. Siegrist, 2012: Public acceptance of CCS system elements: A conjoint measurement. *Int. J. Greenh. Gas Control*, 6, 77–83, doi:10.1016/j.ijggc.2011.11.008.
- Weng, Z.H., Van Zwieten, L., Singh, B.P., Tavakkoli, E., Joseph, S., Macdonald, L.M., Rose, T.J., Rose, M.T., Kimber, S.W., Morris, S. and Cozzolino, D., (2017). Biochar built soil carbon over a decade by stabilizing rhizodeposits. *Nature Climate Change* 7, 371-376.
- Willauer H., DiMascio F., Hardy D.R., Williams F.W., 2014, Feasibility of CO₂ Extraction from Seawater and Simultaneous Hydrogen Gas Generation Using a Novel and Robust Electrolytic Cation Exchange Module Based on Continuous Electrodeionization Technology, *Industrial & Chem. Res.* 53, 12192–12200, dx.doi.org/10.1021/ie502128x.
- Williams-Guillén, K., Perfecto, I & Vandermeer, J. (2008) Bats Limit Insects in a Neotropical Agroforestry System. *Science*, 320, 70.
- Williamson P., 2016, Scrutinize CO₂ removal methods. *Nature*, 530: 153–155.
- Woolf, D., Amonette, J.E., Street-Perrott, A., Lehmann, J., Joseph, S. (2010) Sustainable biochar to mitigate global climate change. *Nature Communications* 1, Article 56, doi:10.1038/ncomms1053 (2010).
- Worrall, F., Evans, M.G., Bonn, A., Reed, M.S., Chapman, D., Holden, J. (2009). Can carbon offsetting pay for upland ecological restoration? *The Science of the Total Environment* 408(1), 26–36.
- Zakkour, P., J. Kemper, T. Dixon, 2014: Incentivising and accounting for negative emission technologies, *Energy Procedia*, 63 (2014) 6824 – 6833, doi: 10.1016/j.egypro.2014.11.716.
- Zedler, Joy B., and Suzanne Kercher. (2005). Wetland resources: status, trends, ecosystem services, and restorability. *Annu. Rev. Environ. Resour.* 30: 39-74.
- Zhang, A., Cui, LQ., Pan, G., Li, LQ., Hussain, Q., Zhang, XH., Zheng, JW., Crowley, D. (2010) Effect of biochar amendment on yield and methane and nitrous oxide emissions from a rice paddy from Tai Lake Plain, China. *Agriculture, Ecosystems & Environment* 139, 469-475.
- Zhao, K., & Jackson, R. B. (2014). Biophysical forcings of land-use changes from potential forestry activities in North America. *Ecological Monographs*, 84(2), 329-353.
- Zomer, R.J., Neufeldt, H., Xu, J.C., Ahrends, A., Bossio, D., Trabucco, A., van Noordwijk, M. & Wang, M.C. (2016) Global Tree Cover and Biomass Carbon on Agricultural Land: The contribution of agroforestry to global and national carbon budgets. *Scientific Reports* 2016, 6: 29987. doi: 10.1038/srep29987.